VOL. XII. No. 6

MARCH, 1915

PRICE 15 CENTS 1915

# THE CORNELL COUNTRYMAN



THE DISTRIBUTION OF EGG PRODUC-TION: By JAMES E. RICE

IMPORTANT PHASES IN THE DEVELOP-MENT OF BETTER MARKETS: By EARL W. BENJAMIN

METHOD OF SELECTING THE HIGH PRODUCING HENS: By O. B. KENT

FACTS ON SUCCESSFUL POULTRY KEEPING: By EDWARD S. PARSONS

POULTRY NUMBER



The following Spraying Directions are guaranteed to produce pleasing results:





Use REX Lime and Sulphur Solution Use REX Arsenate of Lead Use Clifford 6 in 1 Any Angle Nozzle

> No weakly payments; be aristocrat and proud of yourself: pay cash

For other valuable information write

THE REX COMPANY P. O. BOX 712 Rochester, N. Y.

# All Cornell Poultry Appliances

used and recommended by the New York State College of Agriculture-Famous the world over

Heaters for the Cornell Gasoline Brooders

(Supplied with 1915 gasoline burners burning commercial gasoline)

**Drinking Fountains for Mature Stock** Drinking Pail Protectors Drinking Fountains for Chicks Feed Supply Cans Dry Mash Hoppers Grit and Shell Hoppers

Trap Nest Fronts Wind Bafflers Killing Knives Caponizing Sets

Entire Poultry Plants Completely Equipped

Send for our New Illustrated Catalog describing all the Cornell Poultry Appliances including the new Cornell Wind Buffler.

KLENKE & DREW - Manufacturers ITHACA, N. Y.

# You Are Entitled To A Cyphers Built Incubator From \$1000 Up

HREE styles of Incubators this year, all our own design, built exclusively in our new factory, each fully guaranteed by the Cyphers Company-regardless of price. To you who feel like starting with a low-priced machine, it means a new degree of confidence. The 18-year record of the Cyphers Incubator Company makes you know instinctively that ANY HATCHER they build and sell is worthy of your confidence. The users of Cyphers Company Products have demonstrated to ALL poultry raisers, at home and abroad, that a Cyphers Company price is always a low price for the value given.

### Write for This 1915 Cyphers Book

"The Profits in Poultry Keeping"—200 pages—free—postpaid—rich in the knowledge and experience which gave this institution its leadership in the poultry world. With this book we'll send you a special colored circular of our two New Styles of incubators showing them in different sizes. Take your choice—\$10.00 to \$38.00 according to style and size.

### The Superior Hot-Water Hatcher

NEVER BEFORE have you been able to get a hot-water incubator of the Cyphers Company standard of design, construction, regulation and ventillation. Incubator case is of wood, attractively finished in golden brown, with brass trimmings (highes, buttons, etc.), and has double walls, with heat and cold-resisting insulation. Equipped with Standard Cyphers zinc and steel toggle-joint thermostat and knife-edge regulator. Forced water circulation, automatic in ventilation. Roomy chick nurseries under egg trays. Two sizes: 65 eggs, \$10; 130 eggs (see illustration), price \$14. Fully Guaranteed.



### Your Choice Of Style -Cyphers Certainty Of Results

THOUGH you NOW PAY LESS for some of the Cyphers Company built Incubators than for others, you will understand that it is because we manufacture more economically and have a world-wide market.

### Columbia Incubator

The Highest Grade Low-Priced Incubator It Has Been Possible to Produce

Two Sizes.

We built this efficient hatcher for the many who wish to start safely with smallest possible outloo. By all ordinary standards it would take first place among hatchers. Is equipped with famous Standard Cyphers toggle-joint thermoeath and saystem as our highest-priced machines. Substantial wooden case. Attractive dark Flemish green finish, brass trimmings, double walls, with heat and cold-resisting insulation. Forced draft heating system, Tume-proof by test. Positive automatic ventilation, Strong egg trays. Roomy chick nurseryunder trays. Two sizes: 140 eggs, complete, \$15.00; 250 eggs (illustrated herewith), complete, \$19.00. Fully Guaranteed.

Standard Cyphers Incubators

Here you get all that scientific and practical progress has been able to accomplish in incubator building. Given fertile eggs and ordinary care, these machines recognize no chatacles of climate, weather or trying conditions generally. In every land they are making money for their owners, with least trouble and suress profits. Four sizes: 70 eggs, complete, \$15.00; 144 eggs, complete, \$22.00; 294 eggs, complete, \$32.00; 390 eggs, complete, \$38.00. Satisfaction or your money back.

All prices herewith apply east of Rocky Mountains, north of Texas and south of Canadian Line. In high freight territory slightly higher prices. Write today for our 1915 Year Book, free and postage paid. More helpful than ever. Address our place of business nearest you.


CYPHERS INCUBATOR COMPANY - Dept. 176 Home Offices and Factory - Buffalo, New York BRANCH STORES and WAREHOUSES

41 Barclay Street 12-14 Canal Street 329-31 Plymouth Ct. 317-19 Southwest Blvd. Dallas, Texas 813 N. Preston Street

Chicago, III. Oakland, Cal. 2127 Broadway London, England 121 Finsbury Pave.



### International Harvester Oil Engines - Mogul - Titan



HE man who buys an engine without knowing engines, takes a chance. He cannot know whether he has the best engine for his work or not, unless he knows engines and can make comparisons.

Our suggestion would be to take the I H C oil engine—recognized as standard in its construction; study its every feature closely, and use it as a basis of comparison when looking at other engines. That use it as a basis of comparison when looking at other engines. That is the only way to choose correctly the best engine for the particular

work you want your engine to do.

I H C oil engines—Mogul and Titan—are made in all sizes from 1 to 50-horse power and in every approved style—stationary, skidded, portable, tank and hopper-cooled, vertical and horizontal. They operate on gasoline, kerosene and even lower grade oils, and

on gas or alcohol.

When you buy an I H C engine, the engine is not all you get for your money. Our service is worth knowing about. Get acquainted with an I H C engine at the place of business of the nearest dealer where they are sold. Ask him for one of our interesting catalogues or write to us for one.



CHICAGO

### **International Harvester Company of America**

(Incorporated)







### Hote Rochester

ROCHESTER, N. Y.

300 ROOMS

NATIONAL HOTEL CO., Prop. Geo. W. Sweeney, Pres.
W. D. Horstmann, Mgr.

# Trees at Wholesale


\*\*\*\*\*\*\*\*\*\*\*

W. & T. Smith Company GENEVA, N. Y.

Write for Catalogue and Prices

Our trees are not lowest in price, but we guarantee QUALITY and PURITY of varieties, and such nursery stock is the cheapest. :: ::

MAKAKAKAKAKAKAKAKAKAKAKAKAKAKAKAKA



### KELLY'S Trees

Guaranteed to "Make Good."

That means a lot to every buyer-guaranteed Sturdy, Healthy and true to name by a firm that has been growing trees right for 28 years—Apple, Pear, Peach, Plum, Cherry and Quince Trees, also small fruits and Ornamental Stock.

### Direct to you at Grower's Prices

Quality before price is our motto, but our personal supervision of all trees from our nurseries to you, together with up-to-date facilities, enables us to sell Kelly's Trees at low prices.

Our catalog tells all about our trees and

Our catalog tells all about our trees and prices. It is our only salesman and you can order from the catalog just as well as if you visited us here in Dansville—Why not do both? Write for catalog today. It's worth while.

KELLY BROS, Wholesale Nurseries

221 Main St., Dansville, N. Y. You'll never regret planting Kelly's Trees

Where you saw it will help you, them and us.

### You Can Depend Upon

### **ALLEN'S STRAWBERRY PLANTS**

Strawberry growers must set out plants that will thrive and bear fruit true-to-name. You cannot afford to take chances with carelessly grown plants.

### Buy Allen's True-to-Name Plants

and you are more certain of large crops of big, delicious strawberries. Allen's plants are hardy, vigorous and heavy yielders of luscious fruit because they are carefully grown from healthy stock.

### All Standard Varieties-Any Quantity, Prompt Shipment

All the early and late strains of standard varieties of strawberries for every soil and climate requirement. Over 200 acres are devoted to strawberry culture alone at the Allen Nurseries. Over 30 years successful experience growing berry plants of the best quality. Allen's plants are carefully selected and packed fresh for shipment and guaranteed true-to-name.

### Here's What Customers Say:

From California—Plants arrived to-day in fine shape. The growers in this locality as well as myself are delighted with them. D. R. Duncan, I.os Angeles County. From Missouri—Received plants O.K. They surprised me. So fine, packed nice in bunches, with roots all straight down, one plant like the other and no scrubs in

them. Joseph Vogel, Jefferson County.

From Montana—The plants came through quickly and in fine condition. Matt W. Anderson, Lewis and Clark County.

From New York—Wish to acknowledge for the Station, the receipt of strawberry plants. Arrived in good condition, A. M. Taylor, Geneva, N. Y.

From Florida—Plants received in fine condition and everything satisfactory. I. W. Peck, Manatee County.

Write for 1915 Berry Book

Tells how to plant and cultivate strawberries and other small fruits. It lists and describes Allen's True-to Name Blackberries, Raspberries, Strawberries, Currants, Grapes, Asparagus, etc. Well illustrated, and full of valuable information to fruit growers and gardeners. You should have this book for reference. Write today for

a free copy.




147 Market St. SALISBURY, MARYLAND.



# Th Service that is given by the First HALL MAMMOTH INCUBATOR

Will pay for the first, second, third, etc.



You will be able to purchase this additional Hall Mammoth equipment as a result of-

The Profit you make from this initial installation

"Why should I hatch my eggs in a Hall Mammoth Incubator?" Ask the practical poultryman (the money-maker) this question and he will reply: "Because the Hall will hatch the highest percentage of healthy, vigorous chicks—chicks that have the 'will to live'"

There is no getting away from this answer—Records of old poultrymen prove it, but if you insist on further reasons why you should equip with Hall Mammoth Incubators, he will say: "Because the Hall is the *original*; because Hall principles of design have successfully withstood the test of *eighteen years*" usage and because they are giving the operators of chicken and duck plants *service* and *satisfaction* everywhere."

### ♣ This Book will show you why!

Their utter reliability, their staunch sectional construction, their superior principles of design, their proven ability to get bigger results—hatch more and better chicks—are the main "reasons why" practical poultrymen are so enthusiastic about the Hall Mammoth Incubator.

Once you have installed your first Hall Mammoth Incubator you will be satisfied with incubators of no other make. Repeat orders for additional sections will follow.

The Hall has a larger sale and a wider use than any other Mammoth Incubator.



### And Now comes Brooding Time!

Hall Mammoth Incubators produce the 100% chick. After hatching comes the question of *rearing*; the question is discussed and answered in the book and the answer is:

Hall Nursery Brooder Systems, or Hall Coal Heated Colony Brooders

It is not a dry, technical catalog. but a live, interesting fact book. It contains articles and information by recognized authorities worth much to men who want to have fertile eggs deliver lively, virile chicks. It is spoken of as a Poultryman's Manual and is free.

Write Dept. 6F quickly before the first printing is exhausted.



THE HALL MAMMOTH INCOBATOR COMPANY
LITTLE FALLS
HEY YORK

Dept. 11M





# THE CORNELL COUNTRYMAN

### CONTENTS FOR MARCH, 1915

| "WITH | MARCH    | COMES    | N  | THE   | PLEASANT |
|-------|----------|----------|----|-------|----------|
| SPR   | ING      |          |    |       |          |
| WHEN  | LITTLE B | IRDS BEG | IN | TO SI | NG."     |

| FRONTISPIECE. | (Photo | by Cable) | - | 464 |
|---------------|--------|-----------|---|-----|

| THE DISTRIB | UTION | OF | EGC   | P  | RO-  |    |
|-------------|-------|----|-------|----|------|----|
| DUCTION     |       | By | James | E. | Rice | 46 |

| <b>IMPORTAN</b> | T PH | ASES I | NT   | HE I  | DE- |    |
|-----------------|------|--------|------|-------|-----|----|
| VELOPMEN        | T OF | BET    | TER  | MA    | AR- |    |
| KETS -          | -    | By Ear | d W. | Benia | min | 47 |

| COST OF |  | POULTRY | FEEDS         |     |  |
|---------|--|---------|---------------|-----|--|
|         |  |         | By A. B. Dann | 479 |  |

| METHOD OF SELECT | TING THE HIGH   |    |
|------------------|-----------------|----|
| PRODUCING HENS   | - By O. B. Kent | 48 |

| <b>PIGEONS</b> | AND | SQUA | BS     |        |    |
|----------------|-----|------|--------|--------|----|
|                |     | By   | Thomas | Wright | 48 |

| MY | EXPERIENCE | WITH | POUL    | TRY    |    |
|----|------------|------|---------|--------|----|
|    |            | R.,  | Carolin | I Date | AS |

| FACTS ON | SUC | CES: | SFUL PO | OULTRY     |     |
|----------|-----|------|---------|------------|-----|
| KEEPING  | -   | - By | Edward  | S. Parsons | 491 |

| FARMERS' WEEK | IMPRESSIONS | AND | COMMENTS | By Bristow Ada | ms 495 |
|---------------|-------------|-----|----------|----------------|--------|
| EDITORIALS    | -           | -   | -        | -              | 498    |
| CAMPUS NOTES  |             |     |          |                | 500    |
| FORMER STUDEN | IT NOTES    | _   |          |                | 503    |



Photo by Cable The Keimis Cast. Over 100 students participated in the annual Agricultural Entertainment given Wednesday evening of Farmers' Week.

# THE CORNELL COUNTRYMAN

Vol. XII

MARCH, 1915

No. 6

### THE DISTRIBUTION OF EGG PRODUCTION

BY JAMES E. RICE, '90

Professor of Poultry Husbandry, in colaboration with O. B, Kent, '12, Instructor in Poultry Husbandry, and F, D. Brooks, '17.

New York State College of Agriculture at Cornell University

(To be continued in the April number)

### PART I.

How does the time of hatching influence the distribution of egg production?

It becomes necessary, before drawing final conclusions, regarding the laying capacity of fowls, to ascertain whether the production of any particular individual is due to inheritance, or whether it has been modified by the environment. It now appears to be well established that either one or both of these two factors—heredity or environment—may be controlling influences.

Under normal conditions of development and management the domestic fowl should commence to lay when about six to eight months old. However, the time of first production varies with the breeds, varieties, strains and individuals. It is also influenced by methods of feeding, brooding, housing and care. The domestic fowl is, to a very remarkable extent, responsive to her environment. Among the important environmental conditions that influence egg production is that of climate. This is so important a factor that it must be taken into serious consideration in connection with the age at which pullets commence to lay.

Among the more important climatic conditions affecting egg production that surround a flock of fowls during

the various seasons of the year, are excessive heat or cold, protracted drought or rainfall, the number of hours of sunshine or cloudy conditions, which affect the nature of the food supply, the activity of the birds, and their personal comfort and contentment. These, to a large degree, influence the productivity of the birds. So well established has this fact become that the most experienced practical poultrymen now generally understand the great importance of having chickens hatched at a certain time of the year in order to have the pullets reach the normal laying age at a definite time of the year which has been found, by practical experience, to be most conducive to the largest egg yield. It has been observed that with any given variety of fowls in any particular part of the country, if the chickens are hatched too early or too late, that they mature and commence to lay when the climatic conditions are likely to be either too hot or too cold, too wet or too dry, or to involve some other environmental influence that does not satisfy the most desirable conditions for securing a maximum egg vield at a time when eggs are most desired; namely, in this State during the Fall and early Winter months.

If the time of hatching does affect the way in which fowls distribute their production it becomes of vital importance, in studying the individual records of fowls with regard to inheritance of fecundity characters, to consider the time of hatching of each bird before we pass final judgment on her productive qualities. It is well, also, to inquire, when comparing the productivity of individuals or flocks, not only as to the time of hatching, but also as to the method of rearing, handling and care. This is particularly important where the method of selection is based upon the number of eggs produced by an individual when she has reached a certain age, or at a certain date; for example, when ten months old or by March 1st or the first year etc.

laying. The third group apparently was hatched a little too late to fully mature and commence to lay before extremely cold weather occurred and normally would be expected, except under the most favorable conditions of rearing and desirable fall weather, to give less satisfactory fall and early winter egg yield than the earlier hatches. The annual production of each fowl, the total and the average for three years, is given in Table I. In Figure I is shown graphically the curves of production for each group in fourweek periods for three years. The daily production of each fowl for three years, arranged in three groups based on the time of hatching each




Fig. 1.—Note the Regularity with which the Curves of Egg Production Rise and Fall, in Conformity to Season and the Tendency of Pullets to Commence to Lay, and Hens to Renew Production in the Eardy Winter After Molting.

As a mere suggestion of the importance of knowing the time of hatching as affecting the production of individuals or flocks, some of the results of a study of the distribution of egg production of sixty-three fowls for three years is here shown. The fowls are all Single Comb White Leghorns. They were hatched and reared under essentially similar conditions and include all of the individuals of the flock that lived to complete three years or more. Of the sixty-three fowls, twenty-two were hatched May 2nd, twenty-one May 20th, and twenty-one May 31st. The first two groups were hatched at a time which, in Central New York, normally would be considered desirable for fall and early winter group, and according to the date the first egg was laid, is shown in Figure II.

It should be understood that the purpose in presenting these data is not to submit proof that the time of hatching is the sole cause of the wide difference in the production of the three groups hatched at different times of the year, but rather to point out the importance of considering the possible influence that the time of hatching may have on the distribution of egg production and the number of eggs laid in any given year or period of years.

The egg production of the May 31st hatch when compared with the average for the three groups shows that the difference in production is, for the first year, 134.19 as against 118.60 or a difference of 15.59 eggs per hen; for the second year 122.62 as against 112.75. a difference of 9.87 eggs per hen, and when compared to the May 20th hatch, the difference is, for the first year, 142.00 as against 118.60 or 23.4 eggs per hen; for the second year, 133.95 as against 112.75 or an average of 21.20 eggs per hen, and for the third year 124.57 as against 104.70 or a difference of 19.87 eggs per hen, in every instance showing a decidedly smaller average egg yield for the 20 hens in the group hatched May 31st.

A study of Figure II and Table I reveals the fact that a few high record individuals are found in each of the three groups. For example the eleven fowls that laid an average of 150 eggs or more per year for three years laid as follows:

Group I Av. per hen for 3 yrs. Hen 7460 = 158.67 165.33 7486 = 7534 = 157.33 164.33 7578 = 7518 = 164.33 Group II 155.67 5702 = -183.67 5697 5626 176.33 5727 = 151.00 5653 = 160.33 Group III 7880 = 151.67 7851 = 151.33

A larger number, and these also higher producing fowls, it will be seen are found in the two earlier hatches. It would appear that the time of hatching of group 3 was a handicap to production not only the first fall and winter but also for the first year and for each year thereafter. Whatever may have been the cause of this difference in production, whether time of hatching or heredity, the result is certain that in this one instance the May 31st hatch, gave a much lower yield. This might be due to a difference in the natural productivity of the fowls in the third group as compared to each of the other groups, or it is possible, in fact, quite probable,

that the difference in yield may be attributed to the seasonal conditions affecting the growth of the chickens or their productivity.

It will be seen by referring to Fig. II that a majority of the pullets in each group began to lay essentially in the order of the dates when they were hatched, and that some of the late-tolay pullets in the early hatches did not commence to lay until after the earlier-to-lay pullets of the later hatches began to lay. It indicates the desirability of hatching chickens at various times during the best hatching season of any region with the expectation of securing a better distribution of production throughout the fall and winter than one would be likely to secure if all the chickens were to be hatched at the same time or within a short period of time. A careful examination of the daily and monthly records of various fowls in each group as shown in Table I and Fig. II will indicate that after a fowl has laid heavily for a considerable length of time, there is a tendency to decrease in production, and to rest or to become broody. It is desirable, therefore, to have the time of hatching so arranged that when one flock is declining in production, other flocks, hatched a little later, are commencing to lay. By so doing, it is apparent that under normal conditions one may expect to secure and maintain a fairly uniform daily production, by arranging to have his hatching properly timed to fit the season in the particular region in which he lives. It is reasonable to suppose that the same difference in egg vield might not occur every year between flocks hatched May 2 and May 20 and May 31st, as is shown in the data here studied. The environmental conditions are not likely to be the same each year. Hence, hatching at the same date each year would not of necessity be expected to give the same comparative results as here shown. If the records of flocks hatched at widely different times, ranging from March 1st to July 1st were to be compared, unquestionably

- DAILY DISTRIBUTION OF EGG PRODUCTION -CO SCHOOL TO THE OWN KEY - HIGHEST YEAR'S PRODUCTION
- LOWEST YEAR'S PRODUCTION FIRSTOYEAR PENFERRER DECEMBER JANUARY PERSONNY MARKET AVER AND THE PENFERRENCE AND THE PENFERRENC MAY ANGOST SEPTEMBER OTHER 001150000 5101 70010 F The second secon GENERAL STATE OF THE STATE OF T -SECONDOYEAR -DESCRIPTION OF THE PROPERTY AND THE PROP The state of the s On the state of th 102-000 L 102-00 THE RESERVE THE PROPERTY OF THE PARTY OF THE The state of the s Designation of the second seco tige i i fortitu e i casson tommer por men a i sem mem a casson sectoral e soci 5 192, 1945, (STREET OF THE PROPERTY OF THE 1 (SATE HOUSE) (TOTAL PROCESSOR AND ADMINISTRATION OF THE PROCESSOR ADMINISTRATION OF THE PROCESSOR AND ADMINISTRATION OF THE PROCESSOR ADMINISTRATION OF THE PROCESSOR ADMINISTRATION OF THE PROCESSOR AND ADMINISTRATION OF THE PROCESSOR ADMINISTRATION OF THE 10 CONTROL OF THE PARTY OF THE | Printing Topode of Transport Control of the C

DISTRIBUTION OF CALENDAR YEAR EGG PRODUCTION OF 63 S. C. WHITE LEGHORNS FOR THREE YEARS AT CORNELL, ARRANGED IN THREE GROUPS ACCORDING TO DATE OF HATCHING AND IN EACH GROUP ACCORDING TO THE PRODUCTION OF FIRST EGG.

Illustrated graphically in Fig. I "Influence of time of hatching on the monthly distribution of egg production," and Fig. II "Daily Distribution of Egg Production" and Figs. III and IV, Part III April number "Cornell Countryman", showing the fluctuations in rating of fowls according to eight methods of comparing their relative productivity.

TABLE I.

Group I—Twenty-seven fowls, Twenty-two of which lived three years. Hatched May 2.

|             | May 2. |         |                  |              |                |  |  |  |  |
|-------------|--------|---------|------------------|--------------|----------------|--|--|--|--|
| Band<br>No. | Egg    | 2nd yr. | etion<br>3rd yr. | Total 3 yrs. | Av. for 3 yrs. |  |  |  |  |
| 7460        | 203    | 150     | 123              | 476          | 158.67         |  |  |  |  |
| 7486        | 212    | 153     | 131              | 496          | 165.33         |  |  |  |  |
| 7523        | 141    | 123     | 126              | 390          | 130.00         |  |  |  |  |
| 7469        | 118    | 104     | 124              | 346          | 115.33         |  |  |  |  |
| 7484        | 117    | III     | 114              | 342          | 114.00         |  |  |  |  |
| 7317        | 144    | 120     | 86               | 350          | 116.67         |  |  |  |  |
| 7472        | 157    | 112     | 92               | 361          | 120.33         |  |  |  |  |
| 7542        | 97     | 112     | 92               | 301          | 100.33         |  |  |  |  |
| 7360        | 136    | (74)    |                  |              |                |  |  |  |  |
| 7420        | 155    | (4)     |                  |              |                |  |  |  |  |
| 7370        | 123    | 64      |                  |              |                |  |  |  |  |
| 7543        | 179    | 82      | 83               | 344          | 114.67         |  |  |  |  |
| 7534        | 190    | 155     | 127              | 472          | 157.33         |  |  |  |  |
| 7477        | 173    | 147     | 119              | 439          | 146.33         |  |  |  |  |
| 7503        | 157    | 127     | 137              | 421          | 140.33         |  |  |  |  |
| 7540        | 150    | 137     | 120              | 407          | 135.67         |  |  |  |  |
| 7513        | 129    | 134     | 147              | 410          | 136.67         |  |  |  |  |
| 7518        | 221    | 163     | 109              | 493          | 164.33         |  |  |  |  |
| 7473        | 116    | 106     | 82               | 304          | . 101.33       |  |  |  |  |
| 7538        | 105    | 114     | 87               | 306          | 102.00         |  |  |  |  |
| 7455        | 138    | 107     | 105              | 350          | 116,67         |  |  |  |  |
| 7549        | 151    | 152     | (126)            |              |                |  |  |  |  |
| 7536        | 138    | 124     | 108              | 370          | 123.33         |  |  |  |  |
| 7510        | 134    | 175     | (87)             |              |                |  |  |  |  |
| 7504        | 83     | 86      | 57               | 226          | 75.33          |  |  |  |  |
| 7403        | 87     | 115     | 114              | 316          | 105.33         |  |  |  |  |
| 7511        | 45     | 75      | 69               | 189          | 63,00          |  |  |  |  |
| Total       | 3799   | 3048    | 2352             | 8109         |                |  |  |  |  |
| *Av.        | 140.70 |         | 106.91           | 368.59       | 122.86         |  |  |  |  |

Group II—Twenty-eight Fowls, twenty-one of which lived three years. Hatched May 20.

| Band |         | g Produ |         | Total  | Av. for |
|------|---------|---------|---------|--------|---------|
| No.  | ist yr. | and yr. | 3rd yr. | 3 yrs. | 3 yrs.  |
| 5702 | 187     | 147     | 133     | 467    | 155.67  |
| 5697 | 243     | 162     | 146     | 551    | 183.67  |
| 5642 | 161     | 132     | 115     | 408    | 136.00  |
| 5695 | 120     | 112     | 107     | 339    | 113.00  |
| 5726 | (82)    |         |         |        |         |
| 5647 | 186     | 139     | (117)   |        |         |
| 5713 | 103     | (99)    |         |        |         |
| 5626 | 197     | 173     | 159     | 529    | 176.33  |

Group II—Twenty-eight Fowls, twenty-one of which lived three years. Hatched May 20.—Continued.

| Band<br>No. | Egg<br>ist yr. | g Produc<br>2nd yr. |        | Total 3 yrs. | Av. for<br>3 yrs |
|-------------|----------------|---------------------|--------|--------------|------------------|
| 5719        | 147            | 113                 | 112    | 372          | 124.00           |
| 5675        | 148            | 136                 | 155    | 439          | 146.33           |
| 5727        | 169            | 139                 | 145    | 453          | 151.00           |
| 5653        | 155            | 175                 | 151    | 481          | 160.33           |
| 5320        | 138            | 133                 | 148    | 419          | 139.67           |
| 5705        | III            | 123                 | 123    | 357          | 119.00           |
| 5624        | 124            | 137                 | 102    | 363          | 121.00           |
| 5634        | 115            | 170                 | 145    | 430          | 143-33           |
| 5657        | (90)           |                     |        |              |                  |
| 5709        | 133            | (52)                |        |              |                  |
| 5633        | 159            | 114                 | 133    | 406          | 135-33           |
| 5720        | 97             | (16)                |        |              |                  |
| 5681        | 86             | 54                  | 54     | 194          | 64.67            |
| 5707        | 155            | 127                 | 96     | 378          | 126.00           |
| 5674        | 148            | 165                 | 132    | 445          | 148.33           |
| 5685        | 68             | 80                  | 82     | 230          | 76.67            |
| 5680        | 87             | 140                 | 108    | 335          | 111.67           |
| 5650        | 113            | 139                 | 137    | 380          | 126.67           |
| 5621        | 108            | (113)               |        |              |                  |
| 5708        | 151            | 142                 | 133    | 426          | 142.00           |
| Total       | 3609           | 2952                | 2616   | 8411         |                  |
| *Av.        | 138.81         | 134.18              | 124.57 |              | 133.51           |

Group III—Twenty-two fowls, twenty of which lived three years. Hatched

May 31.

|             |           | 213 0             | 9 34.           |        |                   |
|-------------|-----------|-------------------|-----------------|--------|-------------------|
| Band<br>No. | Egg       | Produc<br>2nd yr. | tion<br>3rd yr. |        | Av. for<br>3 yrs. |
| 7859        | 149       | 138               | 115             | 402    | 134.00            |
| 7582        | 127       | 112               | 95              | 334    | 111.33            |
| 7872        | 117       | 110               | 122             | 349    | 116.33            |
| 7860        | 106       | 72                | 58              | 236    | 78.67             |
| 7683        | 86        | 98                | 96              | 280    | 93.33             |
| 7880        | 151       | 145               | 159             | 455    | 151.67            |
| 7697        | 169       | 121               | 103             | 393    | 131.00            |
| 7566        | (157)     |                   |                 | 030    |                   |
| 7897        | 137       | 124               | 139             | 400    | 133-33            |
| 7700        | 152       | 135               | 141             | 428    | 142.67            |
| 7873        | 128       | 140               | 87              | 355    | 118.33            |
| 7874        | 137       | 151               | (40)            | 000    | 00                |
| 7851        | 147       | 154               | 153             | 454    | 151.33            |
| 7561        | 164       | 137               | 117             | 418    | 139.33            |
| 7668        | 106       | IOI               | 114             | 321    | 107.00            |
| 7575        | 153       | 128               | 124             | 405    | 135.00            |
| 7579        | 80        | 60                | 71              | 211    | 70.33             |
| 7675        | 140       | 149               | 131             | 420    | 140.00            |
| 7658        | 45        | 53                | 65              | 163    | 54-33             |
| 7865        | 70        | 84                | 71              | 225    | 75.00             |
| 7852        | 76        | 75                | 80              | 231    | 77.00             |
| 7680        | 69        | 119               | 53              | 241    | 80.33             |
| Total       |           | ,                 | 0.5             |        |                   |
| Grou        | p         |                   |                 | ·      |                   |
|             |           | 2406              | 2094            | 6721   |                   |
| "Av.        | 119.48    | 114.57            | 104.70          | 330.05 | 112.02            |
| *Av.        | s. 134.01 | 123.62            | 112,10          | 368.90 |                   |
|             |           |                   |                 |        |                   |

<sup>\*</sup>Average includes all those fowls that completed full year records. Incomplete years are shown in ( ).

even wider contrast in production than here shown would be found. The pullets that were hatched too early would be expected to commence to lay in July or August and would be likely to molt in October and November, whereas those that were hatched too late would not be fully feathered and matured before the cold weather of November and December set in and as a result would be likely to be unproductive until toward spring.

The observation of flocks not included in the data here shown justifies the belief that the time limits for hatching Single Comb White Leghorns, to secure the most satisfactory results in fall and winter laying in the region of Central New York, one year with another, is about the first week in April

to the last week in May.

Some interesting lessons in distribution of egg production may be drawn from the variations in the curves of production, Figure I, for each flock each month each year, and for the same curve in succeeding years and in Fig. II showing by the "inked-in" spaces the days when each hen laid. The months of most favorable production each year it will be seen are the middle of March to the middle of July, and the lowest production is uniformly during those seasons of most unfavorable climatic conditions; namely, the middle of September to the middle of January. Each succeeding year the hens decrease the percentage production during the unfavorable season and lengthen the period of low production, while maintaining as high or higher percentage egg yield for a shorter and shorter time during the favorable season. In other words, the older the fowls become, the slower they are to commence to lay in the fall and the earlier they are to cease to lay toward the close of the year the following fall, and also, the older the fowls are, the shorter becomes the period when high production is secured until, eventually, it is found that very old fowls lay less and less percentage production each year and that these eggs are laid only during the natural mating season, which is also the most favorable season of the year. This period, in New York State, is April and May, but differs very materially in various regions of the country.

### PART II

In what year do hens normally lay their highest, medium or lowest production?

It is apparent from studies of egg production, that hens differ widely in the manner of distributing their egg yield over a period of years. This apparently is both an individual and a breed or variety characteristic. A study of Table II will show how the annual egg yield of 169 S. C. White Leghorn fowls varies under central New York conditions and Cor-For the nell University methods. sake of comparison the fowls are classified into several groups, based on the year when they made their highest, medium or lowest production each year for three years. Nine combinations, not including those in which the yield is the same for any two years, are possible and are used in Table II as follows:

|      | IST YEAR | 2ND YEAR | 3RD YEAR   |
|------|----------|----------|------------|
| ıst, | highest  | medium   | lowest     |
| and, | lowest   | medium   | highest    |
| 3rd, | highest  | lowest   | medium     |
| 4th. | lowest   | highest  | medium     |
| 5th, | medium   | highest  | lowest     |
| 6th, | medium   | lowest   | highest;   |
|      |          |          | and so on. |

To make the group comparisons clearer a different kind of type is used in Table II, to indicate the years when each group made its highest, medium or lowest production. It will be seen that by far the larger number of the 169 fowls under consideration, namely, 47.34% fall into the class that lay in the order of most eggs the first year (158); less the second year (127); and least the third (102), a total for three years of (389.19); and that only 4.73% lay in the order of least the first (91); more the second (107); and most the third year (115), a total for three years of 314.13 eggs. The third, fourth and fifth groups are equal in point of numbers, namely, 12.43% each, the third group laying the most the first year (149) eggs; least the second

year (111); and more the third year (120), a total for three years of (382.19) while the fourth group laid least the first year (95) eggs, most the second (134) and medium production the third year (119), or a total of

349.29 eggs in three years.

The fifth group laid medium production the first year (119); highest the second year (133), and lowest the third year (99), a total of 352.33 eggs for three years, whereas in group 6 they laid medium production the first year (130) eggs; lowest the second year (121), and highest production the third year (138), a total of 389.82 eggs for three years, which was the highest average production of any of the first six groups mentioned. The other five groups can scarcely be compared with the six preceding groups because of the fact that the same number of eggs were laid each year for two years. It is interesting however to note, that the highest total yield for three years was in group 10, where the record of only one fowl is shown which laid a high average sustained yield for three years (147) the first, (147) the second and (132) the hen, third or a total of 426 eggs. This however, was not the highest producing individual among the 169 The two most under observation. prolific hens are in groups 3 and 5.

The uniformly high yield of hen Number 3418 "Cornell Supreme" of (222) 1st year, (223) the 2nd year, (220) the third year, an average of (221) each year, or a total of 665 eggs for three years is remarkable. The very high producing birds are found more largely in groups 1, 3 and 5. The egg production of the ten more prolific hens for three years is as follows:

|      |              | Band<br>No. | ıst yr.<br>Prod. | and yr.<br>Prod. | 3rd yr.<br>Prod. | Ave. Prod.<br>for 3 yrs. |
|------|--------------|-------------|------------------|------------------|------------------|--------------------------|
| Grp. | I            | 3113        | 200              | 167              | 162              | 176.33                   |
|      |              | 5626        | 197              | 173              | 159              | 176.33                   |
|      |              | 5697        | 243              | 162              | 146              | 183.67                   |
|      |              | 8362        | 206              | 175              | 117              | 166.00                   |
|      |              | 8483        | 201              | 175              | 140              | 172.00                   |
| Grp. | Ш            | 3211        | 248              | 200              | 201              | 216.33                   |
|      |              | 3352        | 230              | 146              | 163              | 179.67                   |
| Grp. | IV           | 8520        | 163              | 202              | 172              | 179.00                   |
| Grp. | $\mathbf{v}$ | 3418        | 222              | 223              | 220              | 221.67                   |
| Grp. | VI           | 8686        | 192              | 178              | 197              | 189.00                   |

The groups that made their best production in their first year, as shown in Table II, namely, groups 1 and 3, representing 59.77%, and those that made their best records in the second year, groups 4 and 5, namely, 24.86%, or a total for the four groups laying their most the first or the second year 84.63%, clearly includes most of the exceptionally high producing birds of the first six groups where three year records are compared.

TABLE II

| Group<br>Symbol         | No.<br>of<br>Hens | % of<br>Total | Average<br>Product<br>1st yr. | Average<br>Product<br>2d yr. | Average<br>Product<br>3rd yr. | Total Ave.<br>Product<br>3 years | 3 yr. Rating<br>of<br>Groups |
|-------------------------|-------------------|---------------|-------------------------------|------------------------------|-------------------------------|----------------------------------|------------------------------|
| I                       | 80                | 47.34         | 158.68                        | 127.60                       | 102.91                        | 389.19                           | (3)                          |
| II                      | 8                 | 4.73          | 91.00                         | 107.88                       | 115.25                        | 314.13                           | (8)                          |
| III                     | 21                | 12.43         | 149.86                        | 111.95                       | 120.38                        | 382.19                           | (4)                          |
| IV                      | 21                | 12.43         | 95.48                         | 134.29                       | 119.52                        | 349.29                           | (7)                          |
| V                       | 21                | 12.43         | 119.05                        | 133.90                       | 99.38                         | 352.33                           | (6)                          |
| VI                      | II                | 6.51          | 130.45                        | 121.27                       | 138.09                        | 389.82                           | (2)                          |
| VII                     | I<br>2            | ·59<br>1.18   | 86.00                         | 54.00<br>129.50              | 54.00<br>129.50               | 194.00<br>359.00                 | (10)<br>(5)                  |
| IX                      | 2                 | 1.18          | 58.50                         | 58.50                        | 63.50                         | 180.50                           | (11)                         |
| X                       | 1                 | .59           | 147.00                        | 147.00                       | 132.00                        | 426.00                           | (1)                          |
| XI                      | 1                 | .59           | 80.00                         | 72.00                        | 80.00                         | 232.00                           | (9)                          |
| Total for all<br>groups | 169               | 100.00        | 136.92                        | 124.48                       | 109.18                        | 370.57                           |                              |

Distribution of Egg Production by One Year Periods as an Indication of Prolificacy Three Calendar Year Record of 169 S. C. White Leghorn Hens at Cornell University.

It will be seen that Group 6, containing eleven fowls, or 6.51%, by well sustained, moderately high yield for three years, attained a rank of second place among the six groups, based on three years' production. In making selections for the breeding flock, one must give reasonably good hens the "benefit of the doubt". Many of these, by maintaining a high or a medium to high average production for a period of years, frequently make exceptionally good records as long-distance-laying kens. From the records of such hens as the fifteen selected from Table I, whose records follow, Table III we are forced to realize that we should not so far lose ourselves in our quest for the so called "200 egg hen" that we fail to appreciate and give full credit to the staying qualities of the "150 egg hen". Perhaps herein lies our greatest hope for permanent development of the most profitable strain of fowls for egg production.

THE ANNUAL EGG PRODUCTION OF FIFTEEN FOWLS WHOSE RECORDS FOR THREE YEARS ARE OVER 400 EGGS PER HEN AND NINE OF WHICH DID NOT EXCEED 150 EGGS PER HEN THE FIRST YEAR. (From record of 63 hens Table I).

TABLE III

| Leg Band<br>No. of<br>Fowl | First Vr.<br>Egg Pro-<br>duction | 2nd Year<br>Egg Pro-<br>duction | 3rd Year<br>Egg Pro-<br>duction | Egg Produc-<br>tion for<br>Three Years |
|----------------------------|----------------------------------|---------------------------------|---------------------------------|--|
| 7897                       | 137                              | 124                             | 139                             | 400                                    |
| 7859                       | 149                              | 138                             | 115                             | 402                                    |
| 7573                       | 153                              | 128                             | 124                             | 405                                    |
| 7540                       | 150                              | 137                             | 120                             | 407                                    |
| 7513                       | 129                              | 134                             | 147                             | 410                                    |
| 5320                       | 138                              | 133                             | 148                             | 419                                    |
| 7675                       | 140                              | 149                             | 131                             | 420                                    |
| 7503                       | 157                              | 127                             | 137                             | 421                                    |
| 5708                       | 151                              | 142                             | 133                             | 426                                    |
| 7700                       | 152                              | 135                             | 141                             | 428                                    |
| 5675                       | 148                              | 136                             | 155                             | 439                                    |
| 5674                       | 148                              | 165                             | 132                             | 445                                    |
| 7851                       | 147                              | 154                             | 153                             | 454                                    |
| 7880                       | 151                              | 145                             | 159                             | 455                                    |
| 5653                       | 155                              | 175                             | 151                             | 481                                    |

It is apparent, from these records, that if one selects the birds that made their highest or very high records either in the first or second year, he will be likely to secure most of the high producing fowls in the flock.

We hear much about breeding from

the 'highest,' 'medium,' or 'low-est,' producing birds. There is est," producing birds. practically no agreement among poultrymen as to just what these terms,-"highest," "medium," "lowest," signify. To one person "highest" means two hundred, or one hundred and seventy-five, or one hundred and fifty eggs per year: to another it means three hundred or three hundred and fifty, or four hundred eggs in two years, or perhaps four hundred and fifty, five hundred and fifty, or six hundred and fifty eggs in three years, or thirty eggs or more by March 1st, or thirty-five or more at ten months of age, etc. There are nearly as many opinions on this question as there are persons expressing them. If practical poultrymen and investigators alike are not agreed as to the number of eggs that hens should be expected to lay within any particular time, or the length of time that should be taken as a reliable measure of a hen's productive capacity; what, then, shall be the standard and what shall be the terms to describe differences in laying capacity? Shall our measure be applied to the number of eggs laid within a short or long span of time, and where shall the line be drawn that is to separate the high from the medium and the medium from the low producing individuals? If it were found that fowls at all ages are, consistently high, medium or low producers the problem would be comparatively simple. It is found, however, as these data clearly show, that not only do hens vary between wide limits in the number of eggs that they lay when compared with one another, but the production of each individual varies radically during various periods of her life (Tables I, II, III, IV, V and VI). This makes it doubly difficult to decide upon any particular number of eggs that a high, medium or low producer should lay in order to fall into any specified group, and equally difficult to decide upon a definite time or times in the life of a fowl when one would be certain or be likely to get the most reliable estimate of her laying power.

\*EGG PRODUCTION OF SIX HIGHEST, SIX MEDIUM AND SIX LOWEST PRODUCING FOWLS FOR THREE YEARS.

TABLE IV.

Rating of 38 hens based upon the first 10 months' production from date of hatching and shown number of eggs laid per hen per year for a period of years.

| Six Highest<br>Producers. | Age laid<br>1st egg. | First 10 months. | To<br>March 1st. | ıst<br>year. | 2nd<br>year. | 1st and 2nd years. | 3rd 1<br>year. | st,2d and<br>3rd yrs |
|---------------------------|----------------------|------------------|------------------|--------------|--------------|--------------------|----------------|----------------------|
| 3352                      | 180                  | 92               | 69               | 230          | 146          | 376                | 163            | 539                  |
| 3211                      | 202                  | 71               | 56               | 248          | 200          | 448                | 201            | 649                  |
| 3418                      | 206                  | 64               | 50               | 222          | 219          | 441                | 220            | 661                  |
| 3687                      | 199                  | 58               | 46               | 202          | 146          | 348                | 121            | 469                  |
| 3113                      | 220                  | 57               | 42               | 200          | 167          | 367                | 162            | 529                  |
| 3511                      | 213                  | 54               | 40               | 179          | 96           | 275                | 97             | 372                  |
| Six medium<br>Producers   |                      |                  |                  |              |              |                    |                |                      |
| 3097                      | 210                  | 33               | 35               | 147          | 96           | 243                | 73             | 316                  |
| 3079                      | 207                  | 32               | 32               | 169          | 168          | 337                | 112            | 449                  |
| 3336                      | 188                  | 31               | 15               | 143          | 117          | 260                | 104            | 364                  |
| 3075                      | 209                  | 29               | 31               | 144          | 117          | 261                | 103            | 364                  |
| 3189                      | 240                  | 28               | 15               | 126          | 147          | 273                | 130            | 403                  |
| 3477                      | 254                  | 26               | 15               | 148          | 161          | 309                | 144            | 453                  |
| Six lowest<br>Producers   |                      |                  |                  |              |              |                    |                |                      |
| 3276                      | 258                  | 12               | 6                | 106          | 126          | 232                | 145            | 377                  |
| 3072                      | 208                  | II               | 14               | 126          | 137          | 263                | 140            | 403                  |
| 3332                      | 296                  | 6                | O                | 53           | 60           | 113                | 41             | 154                  |
| 2976                      | 292                  | 3                | 3                | 113          | 105          | 218                | III            | 319                  |
| 6087                      | 292                  | 1                | 0                | 89           | 156          | 245                | 140            | 385                  |
| 3695                      | 313                  | 0                | 0                | 66           | 154          | 220                | 129            | 349                  |

TABLE V

"Rating" of 38 hens based upon Egg Production of Six Highest, Six Medium and Six Lowest Producing Hens for a period of years.

|                                 |          |                  | -                | _                |    |    |     |              |
|---------------------------------|----------|------------------|------------------|------------------|----|----|-----|--------------|
| Six Highest<br>Producers        |          |                  |                  |                  |    |    |     |              |
| 3352                            | I        | I                | . I              | 2                | 10 | 3  | 3   | 3            |
| 3211                            | 7        | 2                | 2                | I                | 2  | I  | 2   | 3 2          |
| 3418                            | 12       | 3                | 3                | 3                | I  | 2  | 1   | I            |
| 3687                            | 6        | 4                | 4                | 5                | II | 5  | 13  | 5            |
| 3113                            | 23<br>18 | 3<br>4<br>5<br>6 | 3<br>4<br>5<br>8 | 3<br>5<br>6<br>8 | 4  | 4  | 4   | 4            |
| 3511<br>Six medium<br>Producers | 18       | 6                | 8                | 8                | 30 | 13 | 24  | 5<br>4<br>17 |
| 3097                            | 17       | 17               | 11               | 15               | 31 | 23 | 34  | 28           |
| 3079                            | 14       | 17               | 14               | 10               | 3  | 7  | 17  | 8            |
| 3336                            | 5        | 19               | 23               | 20               | 23 |    | 21  | 19           |
| 3075                            | 16       | 20               | 15               | 18               | 24 | 18 | 22  | 20           |
| 3189                            | 28       | 21               | 24               | 23               | 9  | 14 | 9   | 12           |
| 3477<br>Six lowest<br>Producers | 30       | 22               | 25               | 13               | 5  | 9  | 9   | 6            |
| 3276                            | 31       | 33               | 32               | 32               | 16 | 27 | 5   | 16           |
| 3072                            | 15       | 34               | 28               | 24               |    | 17 | 5 7 |              |
| 3332                            | 37       | 35               | 36               | 38               | 38 | 38 | 37  | 13<br>38     |
| 2976                            | 36       | 35<br>36         | 33               | 28               | 26 | 30 | 18  | 27           |
| 6087                            |          | 37               | 37               | 35               | 6  | 22 | 8   | 14           |
| 3695                            | 35<br>38 | 37<br>38         | 37<br>38         | 36               | 7  | 28 | IO  | 21           |

<sup>\*</sup> From continued article on "Distribution of Egg Production," CORNELL COUNTRYMAN, February, March and April, 1913.

THE DIFFERENCES IN EGG PRODUCTION OF CERTAIN FOWLS FOR THREE YEARS.

TABLE VI.

| Hen No. | First 10 months. | ıst Year. | 2nd Year. | 1st and<br>2nd Years. | 3rd Year. | 3 Years. |
|---------|------------------|-----------|-----------|-----------------------|-----------|----------|
| 3211    | 71               | 248       | 200       | 448                   | 201       | 649      |
| 3352    | 93               | 230       | 146       | 376                   | 163       | 539      |
| Dif.    | -21              | + 18      | +54       | +72                   | + 38      | +110     |
| 3516    | 53               | 173       | 136       | 309                   | 114       | 423      |
| 3079    | 32               | 169       | 168       | 337                   | 112       | 449      |
| Dif.    | +21              | +4        | - 32      | <b>—</b> 28           | + 2       | - 26     |
| 3189    | 28               | 126       | 147       | 273                   | 130       | 403      |
| 3249    | 25               | 123       | 90        | 213                   | 92        | 305      |
| Dif.    | +3               | +3        | + 57      | + 60                  | + 38      | + 98     |
| 3276    | 12               | 106       | 126       | 232                   | 145       | 377      |
| 3348    | 14               | 91        | 93        | 184                   | 51        | 235      |
| Dif.    | - 2              | + 15      | + 33      | + 48                  | + 94      | + 142    |
| 2976    | 3                | 113       | 105       | 218                   | III       | 329      |
| 3498    | 45               | 113       | 82        | 195                   | 91        | 286      |
| Dif.    | - 42             | 0         | +23       | + 23                  | + 20      | + 43     |

The records of egg production for individuals or groups for one, two or three or more years, or two or three or more years combined, show conclusively that fowls differ in the number of eggs that they lay, whether we consider their records for a short or a long period of time, and that these differences vary in the case of the records of 169 fowls (Table II) from no eggs to 248 for the first year, from no eggs to 223 eggs the second year, from 3 eggs to 220 the third year, and from 3 eggs to 665 in three years.

It is also shown that egg production varies by differences of only one or more eggs per hen when we compare them by any of the known methods of rating. It seems clear, therefore, that fowls do not fall into any well defined classes or groups, such as "high" "medium" or "low" producers, into which all or any considerable number of fowls might be placed. Hence, it remains for man to classify fowls according to their production into such groups as best serve his particular purpose, with the understanding that there can be no clean-cut line dividing the high from the medium and the medium from the low producers. It should also be understood that, in the absence of any natural grouping, if any arbitrary system of classification be adopted for any particular period of time, that the hens would have to be reclassified whenever their records for a different period of time is considered. Just because a hen lays more eggs than another for one year, does not necessarily indicate that she will be a better producer than the other the next year. This fact is clearly indicated in Table VI, where the relative merits of several fowls are compared with reference to one another for a period of years. The "plus" and "minus" marks indicate whether or not a hen is higher or lower in her production than the one with which she is being compared.

The way in which each fowl varies in her egg production, month by month and year by year, and the way in which fowls of the same variety, age, breeding and care differ in their laying powers from one another, makes the problem of deciding what particular birds should be honored or discredited in mating up our breeding pens or working out our breeding equations an exceedingly hazardous undertaking. The fact that man has placed upon the hens the responsibility of living up to the good or bad "character" that he has given them in his formulas on the assumption that, as layers, they possess the high, medium or low, or absence of fecundity character is asking a good deal of innocent subjects. The responsibility is greater than most persons or hens will care to assume with our present knowledge of the laws governing inheritance of the fecundity character.

### IMPORTANT PHASES IN THE DEVELOPMENT OF BETTER MARKETS

BY EARL W. BENJAMIN '11

Assistant Professor, Poultry Department, N. Y. S. College of Agriculture at Cornell University

are in a chaotic condition? I refer to the condition as chaotic because it is decidedly unorganized; we have not been able, for the most part, to digest the principles which should guide our move. The present systems, or rather methods, since we cannot dignify them by the term "system," have just naturally developed along the lines of least resistance. They were never "hatched," they just grew. They are natural fruit, borne upon the ungrafted stock with roots extending back to the beginnings of trade relations between

Poultry products are perishable so the poultrymen should be intensely interested in the very best method of selling them: For the same reason the consumer should be vitally interested in the very best method of buying them. Here, I say "should be interested '' because that is all that can be said up until very recently. We have all been asleep! not a single man awake! until a while ago the residents of our large cities were startled to find that the cost of food products was becoming prohibitive. The wave of inquiry relative to the High Cost of Living rolled up to the shop of the middleman; here no satisfaction was obtained because it was found that the great mass of middlemen were making only meagre profits. The inquirers were respectfully referred to the farmers, but here they received their most serious disappointment when they learned that the farmers were scarcely making a living and had in many cases abandoned all hopes of doing better, moved to the city, and even found themselves, a few years later, one of this same crowd of inquirers.

IS it any wonder that our markets inquirers turned upon themselves; they blamed each other, and everybody else. Some blamed the extravagances of the consumers; others the increased population; different money values; dishonest middlemen; too many dealers; losses due to deterioration; poor farming methods; gradual depletion of the humus; not enough farmers; railroad freight



It is the problem of the producer to satisfy the consumer. A glance at the complexity of the consumer's interest shows us at once the impossibility of the average producers attempting to deal direct with the consumer.

rates, express rates; expensive delivery systems; tariff; laziness and negligence of the age; and everything else imaginable and unimaginable. Since this baffling and asundering of the united forces of public sentiment, every thinker has developed individual ideas of how the buying and selling markets might be improved. These ideas usually provide for larger relative returns for the producers and lower relative charges to the consumers.

It is a general principle that the This was indeed chaos: The baffled longer a perishable product is held, or the more times it is handled, the we look at the methods employed in poorer will be its quality and the higher will be its price. This furnishes fertile soil for the development of an apparently simple market the manufacturers where their own

marketing many manufactured products such as shoes and clothes; special stores are being established by



THE CONSUMER IS NOW DEMANDING THAT HIS EGGS BE CONTAINED IN SANITARY CARTONS

scheme, whereby the consumers and producers shall deal directly together. This was the condition when trading began during the past ages, and during the early days of our own country. Business then was so simple and so limited that every consumer could meet the producer of his products and select these products according to his own fancies. Time was then cheap; our social life was not so exacting; the market place was sort of a social gathering place; telephones were not available; the people were a race of producers, i. e., they were not far removed from the soil; their wants were not extensive; they were satisfied with the quality of product received.

Conditions have now changed and we must accept this fact with all its meaning. It means that the interests of both the men and the women have become so urgent and so complicated that certain of these interests are being continually split off and left for specialists to manage. Thus experts do the tailoring, barbering, road making, shoe making, wagon building, horse shoeing, doctoring, preaching, running our errands. Experts are doing our manufacturing, and to some extent our farming. This same tendency towards specialization is bound to take hold of our marketing. It is taking hold, as will be at once seen if products are handled and where the producers get in closer touch with the customers through an expert salesman. The handling of these nonperishable products, however, offer a problem differing greatly from the problem of marketing perishable pro-

In the scramble for a solution to the market problem it was at first suggested that the middlemen should be eliminated. This was the cry on every hand, and public sentiment was at once in favor of direct shipments of products from the producers to the consumers. These shipments have proved very satisfactory in some cases but often dissatisfaction arose and justly too, for both parties. Neither the producers nor the consumers were yet sufficiently educated regarding the factors having to do with the quality of food products. The producer did not understand grading and packing and the consumer did not understand how to keep a surplus if she received more than she needed at once. The few instances where direct shipping has succeeded have, however, served to interest both parties in the improvement of conditions and have, on that account, been of great benefit.

Another sign of the times is the recent movement for the establishment of public markets all over the country.

This is another effort to affect the direct dealings between the producers and the consumers. The public market is a replica of ancient customs. It is an effort to have the housewives follow the customs of their ancestors, go to the market and deal directly with the producers of the farm products. It is an ideal arrangement if conditions existed today as during colonial times. But the times have changed.

The great benefit accruing from the public markets now being established is the Education. Every trip a housewife makes to the public market means that she is going to learn that eggs cannot be judged by their freshness, nor the fact that they come straight from the farmer's hands: She will learn how to recognize the various cuts of meat and the various qualities of dressed poultry. On the other hand, every criticism that the producer receives is a pointer for him. It drives home to him the fact that

get fresh products in no other way.

The public demanded parcel post as a means of stimulating direct trading, and it was obtained. For a few years we have been developing desirable packages for use in sending perishable products by this means. The natural limits to direct dealing seem to be such factors as inconvenience of ordering. damage during transit, expense of package, necessary accounting for both parties, losses due to irresponsible customers, and impatience of both the producer and the consumer. Such factors have probably been the cause for the slow development of the many direct-dealing ideas.

If the public market happens to be controlled by an organization, here is an opportunity for the efficient serving of the community. We then have an organization simply depending upon the farmers and consumers to maintain the business of the organization by trading within the confines of the market. This organization will then



MANY DESIRABLE TYPES OF PARCEL POST PACKAGES HAVE BEEN DEVISED FOR THE USE OF THE PRODUCERS IN SHIPPING DIRECT TO PRIVATE CUSTOMERS

everything isn't perfect just because it is produced on his farm. The public market with its customary features of direct dealing and nondeliveries, will always have this educational value and will always prove a blessing to the poorer classes who can

soon perceive that it is a waste of time for the individual farmers to come in, each with his own few products, and wait for the customers to buy: It will be noted that the grossest kind of delivery duplication is caused by each housewife delivering her own products: It is a waste of energy to have each housewife hunting through the whole market for the particular quality of product that she wants. These and many other features will be noted by the organization and they will then develop an organization controlling a sales room, where the products will all be combined into certain few and definite grades; experts will be employed for standardizing the

both. He is one, not three or four, each to be supported by handling the same product.

The progressive middlemen realize that the efficiency of their work is seriously handicapped by the presence in the field of scores of *illegitimate bargainers* who insert themselves between the wholesale and the retail dealers. It is the advantage of everyone that the trade routes for our pro-



(COPIED FROM CENSUS REPORTS). NEW YORK CITY IS THE NATURAL CENTER FOR THE POULTRY PRODUCTS OF THE COUNTRY. THE GREAT BULK OF THESE PRODUCTS ARE BEING PRODUCED IN THE MIDDLE WEST, AND MODERN METHODS OF HANDLING ARE BEING RAPIDLY DEVELOPED. A CAREFULLY OUTLINED PLAN OF MARKETING WOULD BE OF INESTIMABLE VALUE FOR THE DISTRIBUTION OF THESE PRODUCTS.

products according to these grades; the farmer delivers his goods to the market but does not wait to sell them; the housewife can order products of these different grades intelligently over the telephone or in person; certain regular deliveries will be made covering definite areas to avoid duplication of routes. Now we have a middleman of the highest type of efficiency.

This middleman is the same as all other middlemen should be. He is serving to connect the producers with the consumers. He is an economic necessity in order to properly connect these parties to the satisfaction of

ducts be outlined, and kept under the control of responsible men. The important question is not whether the business is done by a private enterprise or a cooperative organization; 'he question is, how are the products cared for, and are they carried from the producers to the distant consumers in the most efficient way?

We look to the business men themselves to solve this problem. Many of them are placing their shoulder to the wheel and are doing it. The writer is acquainted with several of these men who are working unceasingly for a betterment of our market methods. They are doing the same thing in their communities that the Poultry Producers' Association and other marketing organizations are attempting to do in other communities. Middlemen in some form are necessary. The only desirability for the establishment of a new marketing agency must be the fact that the present one is unwilling to improve. Give our present middlemen a chance to meet the situation before deciding against them.

After our present middlemen are given an opportunity to develop their organization and correlation in accordance with the desires of the producers and the consumers, a system will be gradually developed whereby

the products are collected at shipping stations in the country by one agency; received and distributed to the consumers by another agency; and all this done with a degree of efficiency and punctuality possible only after radical changes from our present methods.

Education must precede these changes. The producers, middlemen, and consumers all need it. We must understand every phase of this work and thus be ready to urge good developments and to discourage useless ones. Interest yourself in the route of the products you sell or buy. Improve this route if you can.

### COST OF POULTRY FEEDS

BY A. B. DANN, '14,

Instructor Poultry Department, New York State College of Agriculture, Cornell University

THE enormous exportation of cereals to the warring countries of Central Europe within the past month or two has caused such a rapid rise in the price of wheat that poultrymen everywhere are asking for a substitute to accompany corn and oats as the grain for poultry. We have long ago given up wheat as a feed for the dairy cow, horse, sheep or hog, but because of the very delicate, highly efficient machine with which the poultryman has had to deal, he has been willing, and could well afford to pay the high prices asked for wheat. It has been called the "ideal" poultry food. It is ideal in many respects-in size and color of kernel, in flavor, in its ease of digestion due to the physical condition, and in its nutritive ratio, all of which have added to the value of wheat as an egg producing feed. But even these factors cannot overbalance the excessive cost, since after all it is not so much "how many eggs" as "what is the cost per dozen of producing those eggs?'

A year ago last fall a survey was made of rations for laying hens as recommended by some twenty-five different experiment stations in the United States, Canada and abroad. The remarkable thing about the summarized results was the wide variety of the grains used and the wide difference in the nutritive ratio of these rations. There were twentynine different feeds recommended and the nutritive ratio, i.e. the ratio of the number of pounds of protein to the number of pounds of carbo-hydrates and fat—varied from 1:3.9 up to 1:6.0.

From these variable figures, and because of the meager knowledge wehave of the hen's digestive power or capacity it is pretty safe to assume that after furnishing the minimum requirement of protein and the highly desirable variety of good, wholesome, palatable poultry feeds, we should work out our egg producing ration almost entirely on an economical basis. That is to say, we should feed those grains and mash foods that are readily available and can be purchased at the lowest cost per one hundred pounds of total nutriment or per unit of producing value.

The following table is worked out

on this basis. Because we have so few digestible coefficients worked out for poultry, it seems advisable to use those for cattle, although it is realized that they are only approximately accurate.

The second column gives the total nutriment of the various feeds listed in column I. This total nutriment is found by adding the total digestible protein and carbohydrates to the total fat multiplied by two and one-fourth. (Protein + C. H. + (Fat  $\times$   $^{1}_{4}$ ). It is considered that one pound of fat is worth as much as two and one-fourth pounds of either protein or carbo-hydrates.

The third column shows the present local price of the feeds per 100 pounds, and the last column shows the computed cost of 100 pounds of total nutriment.

| Feed           | Total<br>Nutriment<br>in 100 lbs. | Price per<br>100 lbs.<br>Feed | Cost per<br>too lbs. Ttl.<br>Nutriment |
|----------------|-----------------------------------|-------------------------------|--|
| Corn           | 84.3                              | \$1.60                        | \$1.90                                 |
| Oats           | 67.7                              | 1.85                          | 2.73                                   |
| Wheat          | 79.7                              | 2.50                          | 3.14                                   |
| Buckwheat      | 61.7                              | 1.50                          | 2.44                                   |
| Barley         | 77.3                              | 1.70                          | 2.20                                   |
| Peas           | 74.2                              | 2.50                          | 3-37                                   |
| Corn Meal      | 78.3                              | 1.60                          | 2.04                                   |
| Ground Oats    | 70.9                              | 1.85                          | 2.61                                   |
| Wheat Midds.   | 68.8                              | 1.70                          | 2.47                                   |
| Wheat Bran     | 55.5                              | 1.50                          | 2.70                                   |
| Alfalfa Meal   | 52.8                              | 2,00                          | 3.79                                   |
| Gluten Feed    | 80.6                              | 1.65                          | 2.05                                   |
| Buckwh't Mide  | ls. 73.9                          | 1.60                          | 2.16                                   |
| O. P. Oil Meal | 77.7                              | 2,00                          | 2.57                                   |
| Beef Scrap     | 96.3                              | 3.00                          | 3.12                                   |

It is evident from the table that there is a wide variation in the cost of 100 pounds of total nutriment depending on the grain or feed. At the present prices, corn at \$1.60 per 100 pounds is the most economical feed to buy, whereas wheat at \$1.50 per bushel, or \$2.50 per 100 pounds is practically the most expensive. Thus the real value of a feed is not determined by its cost per 100 pounds, but by the cost per 100 pounds of total nutriment, or if one wishes to be still more accurate, by its cost per unit of producing value measured in energy units.

But we cannot feed all corn, and

expect to secure the best results as is suggested by the following table.

COMPOSITION OF POULTRY, EGGS AND CORN (PER CENT).

|            | Water | Ash  | Protein | Fat  | Carbo-<br>hydrates |
|------------|-------|------|---------|------|--------------------|
| Hen's body | 55.8  | 3.8  | 21.6    | 17.0 | _                  |
| The Egg    | 65.7  | 12.2 | 11.4    | 8.9  |                    |
| Corn       | 10.6  | 1.5  | 10.3    | 5.0  | 72.6               |

From this table it is readily seen that corn contains too small a percentage of protein and of ash to supply the body needs of the hen and to produce eggs, or if fed in large quantities to supply the protein, it would represent a waste of carbo-hydrates. This illustrates the necessity for a variety of feeds including some of the protein concentrates such as beef scrap, wheat middlings, oil meal and perhaps gluten feed or the like.

To illustrate how the economic consideration of feeds may enter into the making up of a ration let us consider the Cornell ration for laying hens.

| Standard            | Possible Modification |
|---------------------|-----------------------|
| Corn 60 lbs.        | Corn 60 lbs.          |
| Wheat 60 "          | Barley 30 "           |
| Oats30 "            | Oats30 "              |
| Buckwheat30 "       | Buckwheat30 "         |
| Corn Meal60 "       | Corn Meal60 "         |
| Wheat Midds60 "     | Wheat Midds8o "       |
| Wheat Bran 30 "     | Wheat Bran40 "        |
| O. P. Oil Meal_IO " | O. P. Oil Meal_10 "   |
| Alfalfa Meal10 "    | Alfalfa Meal 10 "     |
| Beef Scrap 50 "     | Beef Scrap 50 "       |
| Salt                | Salt 1/2 "            |

With the suggested change the nutritive ratio has not been materially changed and we have eliminated the present expensive factor, wheat, and by adding barley and increasing slightly the amount of wheat middings and wheat bran the physical condition of the ration has not been impaired while the cost has been lowered a trifle over 15 cents per 100 pounds.

Other changes might be made according to the availability and price of feeds. In the northern part of the State where peas are abundant and relatively cheap they make a good substitute; beef scrap purchased in larger quantities at cheaper rates may be increased; fish scrap may be sub-

stituted; and other variations made as local conditions warrant, always bearing in mind the necessity for a good variety of foods which have a sufficient amount of protein and ash, and a relatively small amount of fiber. With

these essentials supplied, it is worth while to consider the feeds very largely from an economical standpoint, and from time to time make such changes as the local price and availability of feeds seems to demand.

## METHOD OF SELECTING THE HIGH PRODUCING HENS

BY O. B. KENT, '13

Instructor, Poultry Department, New York State College of Agriculture at Cornell University

(Note. There are four main ways to determine the high producers—by the time of molting, color of shanks, texture of comb and color of ear lobes.)

POULTRYMEN generally are more interested in being able to tell the heavy laying than in any other problem that confronts them. Several "systems" of "Picking out the laying hens" have been advertised but as yet, so far as we know, none have been advanced which will work consistently. The following is probably one of the easiest methods of picking out birds which show that they have laid well. No attempt is made to tell production by body conformation.

In applying the following method of picking out the heavy layers it must be borne in mind that in order to lay well birds must have good vigor. Almost any normal sign of high production may be due to a lack of vitality.

The characters to be used in this study of egg production are four in number: 1) time of molting, 2) color of shank, 3) texture of comb, 4) color of ear lobes.

### TIME OF MOLTING.

An experiment\* carried on in 1907 and 1908 at this station drew attention to the fact that early molters are poor

producers and late molters are high producers.\*\* Another series of observations were made approximately October 1st, 1914. It was found that molting is very nearly as good a test of production as color of shank. This may be readily explained on the basis that those hens that molt late have a longer period in which to lay and hence lay more eggs. The distinction should be made that heavy producers molt late and not that the mere fact of late molting makes high producers. Late molting is simply the accompaniment of late laying. This holds true of the second and third year production as well as the third.

The question arises will those hens that molt late be handicapped by a lack of feathers and suffer from the cold and as a result not lay until spring? Almost the reverse seems to be true. Those hens that molt late have begun to lay as early as the early molters. Those that were in full molt October 1st, 1914, have begun to lay slightly ahead of either the early molters or late molters. However, with as early a winter as experienced this year in Ithaca the November and December production was extremely small. Those hens

<sup>\*</sup>See bulletin 258 for further information on molting.

<sup>\*\*</sup>We have recently found out that some contributors to Farm Poultry observed the late molting and high production phenomena as early as 1902.

that molted late molted much more rapidly than those that molted early and hence lost less time.

### COLOR OF SHANKS.

In the summer and fall of 1911 a method of determining the production of fowls by the color of the shanks was obtained. It was found that in the yellow skin breeds, the paleness of shank was a very reliable indication if taken in the fall at the end of the first year. Approximately October 1st,



Hen No. 6t in heavy molt, November 28, 1906. Observe the old primary and secondary feathers unshed, while the new body and tail feathers are partially developed and the neck feathers well grown. Record 213 eggs in 26t days, Jan. 24-Oct. 12, 1906.

1914, another series of observations were made to test out the accuracy of the first observation. The data secured in every way check up the original work. The data secured this fall shows conclusively that any bird that has shanks as dark as a light lemon color after laying for a year has been a poor producer. All of the high producers and some of the low vitality low producers have pale shanks, but

any bird with yellow shanks after a year of laying whether it be the first, second or third year of egg production has been a poor producer for that year. If a bird starts with pale shanks the shanks will not grow darker and nothing can be told of the egg production from the shanks alone.

### TEXTURE OF COMB.

In addition to the observations on shanks and molting a series of observations were made with reference to the texture of the comb. It was found that those birds which had soft and pliable combs when these observations were made, about October 1st, 1914, in general were better producers than those with hard or dried up combs. This may be explained on the basis that as a bird molts its comb tends to shrink and become hard. These birds that are in good condition or are laying have pliable combs. The others do not.

From the three characters, the color of shank, time of molting and texture of comb, a correlation table was constructed to show their relation to egg production. In order to do this it was necessary to grade each factor numerically. All birds which have failed to molt or were just beginning to molt were put in grade 1. A bird that had completed its molt was put in grade 5. Intermediate degrees of molting were numbered 2, 3 and 4. The color of the shanks was graded in the same manner. Those birds having practically no yellow color present in their shanks were put in grade 1. Those having golden yellow shanks were put in grade 5. The intermediate degrees of yellow were numbered 2, 3 and 4. The texture of the comb was graded in exactly the same way. Grade I being a soft and pliable comb and grade 5 being a hard and stiff comb. Number 2, 3 and 4 were the intermediate grades. The accompanying table No. 1 shows how the factors were graded and gives an idea how reliable each of the three methods are.

The following correlation table shows how closely the factors agree. The coefficient of correlation is .605 + .021 showing that there is a very strong correlation between a combination of the three factors and egg production. A study of the correlation table shows that very few individuals which scored 6 or less failed to lay more than 120 eggs and that there are comparatively few individuals which scored more than 9 that laid over 100 eggs. This shows that it is readily possible to go through a flock of

Time of Molt, Color of Shank and Texture of Comb as Indications of Egg Production.

| Bird<br>No. | of | Color of shanks | of | Total | Egg<br>Produc-<br>tion |
|-------------|----|-----------------|----|-------|------------------------|
| 3154        | 1  | I               | I  | 3     | 173                    |
| 3157        | I  | I               | I  | 3     | 224                    |
| 3158        | 3  | 2               | 5  | IO    | 92                     |
| 3159        | 1  | I               | 1  | 3     | 177                    |
| 3162        | 3  | I               | 5  | 9     | 119                    |
| 3163        | I  | 2               | I  | 4     | 187                    |
| 3164        | 2  | I               | 3  | 6     | 155                    |
| 3175        | I  | I               | I  | 3     | 257                    |
| 3176        | 4  | 2               | 2  | 8     | 121                    |
| 3191        | 4  | 2               | 3  | 9     | 106                    |

White Leghorn hens about October 1st and tell very closely the hens that have been high producers and those that have been poor producers. A similar correlation table for the second year gives practically the same results.

### COLOR OF EAR LOBE.

Very recently it was discovered at the Connecticut Agricultural Experiment Station, Storrs, Conn. and reported in an address before a meeting of the American Association for the Advancement of Science, by Dr. Blakeslee of that Station, that those birds that normally have a considerable amount of yellow pigment in their ear lobes before they begin to lay will lay this yellow color out. For instance, a White Leghorn pullet, before it lays its first egg, will have a bright yellow ear lobe, but after laying its ear lobes will become white. There are some strains of show birds

which have been bred for white ear lobes that will apparently not bleach out when the bird lays. However, such strains normally have light colored shanks. After a bird has stopped laying the yellow color will come back into the ear lobes. With White Leghorns, which in most utility strains have bright yellow shanks and hence considerable yellow in the ear lobe, we can tell very closely when a bird begins to lay by simply looking at the ear lobes. It has been shown by this Experiment Station and others that those birds that begin to lay early, if they were hatched at the same time, will normally lay the most eggs in the course of a year since they have a longer time in which to lay. However, the bird should not begin to lay until cool weather, that is, generally some time in October or November. If they begin laying in July or August they will usually molt before winter. With the strain of birds that we have at this Station a White Leghorn pullet that does not begin to lay before she is eight months old can generally be discarded as a poor producer. By means of the ear lobes it is a comparatively easy matter to go through a flock of utility White



Leghorn pullets eight months after they are hatched and pick out those that have not laid. It must be borne in mind, however, that the ear lobe test simply indicates whether the bird is laying or not and does not necessarily indicate that a bird will lay heavily throughout the year. Some experiments have been carried on at this Station to test the reliability of this method of telling whether a bird is laying in comparison with some of the other methods. We have found it to be very much more reliable than the pelvic arch or comb test. In fact, we find it practically absolutely reliable as showing whether a bird has been laying heavily recent-


The practical application of this work is (1) start in the fall of the fourth year with birds having bright

yellow shanks, (2) when the birds are about seven to eight months old, if they were hatched in April, May or early in June, go through the flock and cull out all of those birds that have yellow color in the ear lobe. In other words, cull out those that had not begun to lay, (3) beginning about July 1st, go through the flock once or twice a month and cull out those hens that have yellow shanks, have begun to molt and have dried up combs. Keep on culling till the flock is reduced to the number it is desired to winter. By culling early the poorest producers will be taken out first and their feed bill will be saved. The later the birds are culled the higher will be their average egg production. This can be done with yearling as well as with pullets with the same re-

### PIGEONS AND SQUABS

BY THOMAS WRIGHT

Yama Farms, Napanoch, N. Y.



FOUNTAIN STOCK AT YAMA FARMS

THE adage "'tis remuneration that makes labor sweet" can not be better verified than in results obtained by breeding squabs, when a perfect understanding is reached be-

"HE adage "'tis remuneration that tween the breeder and the requiremakes labor sweet" can not be ments for his success.

> The means of education to this end are limited insomuch as our State Colleges and our National Board of Agri

culture have seemed to disregard the valuable service that the pigeon is capable of rendering to the world of commerce. In view of this fact the enterprise and philanthropic spirit of the proprietor of the Yama Farms has offered to the aspirant of squab fame

one of the greatest evils in any inexperienced breeder. Securing the fountain stock is often the text of either success or failure. We must not be lured into fascination by inducements offered for our money except by buying vigorous healthy stock



THE CORRECT WAY TO HOLD A PIGEON WITHOUT MOLESTATION

a little booklet of purely helpful suggestions, no advertising medium, but a companionable little informant, which may be had for the asking.

The business of breeding squab, though a very companionable adjunct to breeding poultry, can not be compared to it, because of the fact that pigeons are monogamous while poultry are polygamous. Breeding fowls seems mechanical; owing to a certain amount of monotony in the daily routine. Breeding pigeons possesses a suspicion of sentiment because the relationship existing between a pair of established breeding pigeons is of a nature well worthy of comparison to the human family.

But while the industry is full of sentiment it is also full of profit in purse, as well as mind food. The principal obstacles which confront the amateur are necessarily the result of ignorance and lack of experience. Too close relationship in breeding is

at the start and, right here, I would advise any one to buy where the stock has been bred and where all the virtues and values are well known and were originated by the breeder and seller. Too much care in this direction can not be exercised by the contemplating beginner. Regard your attitude in the light of any commercial relationship to value received and do not run away with the effervescence of illuminated ink displays. Remember the characteristics, good or bad, are, by the process of breeding, transmitted to succeeding families and generations and are often perpetuated to our sorrow.

Beautiful and diversified as our domestic pigeons are, left to themselves, with no power of discrimination in their relationship one to the other, they soon revert to the original source "The Blue Rock," with its black bars across the wing; the slatey color; the irridescent neck and the

black tip across the end of the tail and, in the process of breeding, no matter how careful we may be or how far removed by an infusion of other blood, symptoms of their wild variety will appear intermittently in a race. I am speaking now in connection with varieties most commonly used for breeding marketable squab, and not on the fancy or ornamentable varieties, as in the latter we find nothing useful in our purpose.

The breast of the squab being the

capable of filling all requirements. I am not going to disparage, in any way, its value as far as it goes. It is very prolific, hardy and matures early, but to gratify the demand for a squab that will average one pound we can not depend upon them for this result. Hence, we must cross upon a larger variety without deteriorating and of its virtues, or breed a larger sort.

The Carneaux is especially prolific and breeds a larger and heavier squab than the Homer. The Runt breeds a




PIGEONS' PARADISE—PLENTY TO EAT AND DRINK, LOTS OF SUNSHINE AND CLEAN QUARTERS

most valuable part of the body as a receptacle for meat, we must have in the mind's eye, a sharp lookout as to breeding birds together, which are capable of improving this object. We shall not ignore the fact that there is a possibility of beauty of outline, type, symmetry and color, even while mating for commercial needs; but this should be the work of the experienced and not be attempted by the amateur for so often the fascination for the eye sacrifices the properties so essential for the normal stomach and appetite.

The Homer is advocated quite extensively as an ideal squab bird and still larger squab and if subjected to selection and careful breeding, after such has been judiciously exercised, is one of our most valuable breeders; involving as it does, all of the natural qualifications.

I was, one day, discussing the merits of various crosses, when my companion exclaimed "I have an idea the most valuable bird for squab purposes might be bred from the Runt and Carneaux." I fully agreed with his opinion and upon his invitation made this cross. By using male Carneaux upon female Runts this cross was made. One of the results of this cross may be seen by the illustration



HOUSE NO. I ACCOMMODATES 450 PAIRS OF BREEDERS

of one of these crosses in my hand. In front of the pen this process of crossing is in operation. To judiciously cross any two varieties, with proper proportions, should improve our purpose. To allow two varieties access to each other promiscously produces a mongrel. The pigeons' responsive nature to improve principals of breeding is remarkably pronounced

and very gratifying when compared with many of the lower orders of creatures we may experiment upon and as vigor is, I consider, the most essential quality in the breeding of pigeons, by judicious crossing we intensify this quality in every application.

sponsive nature to improve principals of breeding is remarkably pronounced of Runt and Carneaux is predeter-



EVERYTHING IS KEPT SPOTLESSLY CLEAN

mining the color of the offspring. The idea being to produce a red bird with largely the marketable quality of the Carneaux and the size of the Runt. Departures from this appear occasionally, but a very large proportion



MR. WRIGHT HOLDING RUNT-CARNÉAUX CROSSES

respond to the methods used, and are about the most satisfactory product

that I have yet seen.

I should like very much to go into detail upon specifications pertaining to the above subject, but space and time will not admit. There are two special reasons why squab breeding should receive active support. One is, as our game birds are so protected by game laws, cold storage long ago became exhausted, and the squab is called upon to fill the vacancy caused by this and no output of good squabs will ever glut the market. Another

reason is this, that the pigeon successfully plays the part of incubator, brooder, feeder and saves all expense of these requirements which must be supplied in extensive poultry breeding. Hence, the necessary outlay of cash, to establish a business which returns a good profit, when compared with poultry, is far less, while the cash returns come to the invester much earlier than from the poultry breeding.

It is not my purpose to, in any way, cast reflections or disrespect upon the breeding of poultry, but there is a desire to combine the two industries and, at times, the amateur asks himself this question "which of the two shall I engage in?" If the inquirer is a natural lover of the feathered race his interests and perseverance will, I think, more readily respond to in breeding squabs than breeding poultry, if an equal amount of knowledge is bestowed on the former as upon the latter, while the pleasure of the details of breeding the squab, to the student of nature, is a never ending larder of delicacies to the active mind.

This illustration, House No. 1 Yama Farms Squabbery, contains breeding apartments for about 450 pairs, also an office, a killing room with cement floor—designed especially with an eye to perfect sanitation—a perfectly equipped grain room—with bins all around it—and upstairs there is a sleeping room for an attendant, also a large lecture room and reading room and all are heated with steam heat.

A system of ventilation is here shown in middle of the pen, also serving as a roosting place at night. The droppings fall to the floor and all odors escapes through the perforated

tube

The roof of these houses projects about 18" over the sides of the building. The front wall on the outside, you will observe is provided with perches where birds can indulge their vacant period with sunshine or, if a shower overtakes them and they desire to get out of it, they can roost on

these perches, which afford many hours of rest and pleasurable display without the possibility of being annoyed by disagreeable companions. The entire house, interior and exterior, is the only one I have seen, of the same degree of perfection. We have other houses strongly resembling it in detail.

I most sincerely regret that I can not go more extensively into detail here, upon the various topics which are essential to successful squab breeding. I shall, however, be very glad to aid in any way I can, the amateur, who may read this article, if he will consult me. Squab breeding is, without exception, the most interesting branch of agricultural life. The many unoccupied buildings upon nearly every farm, which a small outlay of cash would make suitable can be used for breeding squabs for market and a good profit realized.

### MY EXPERIENCE WITH POULTRY

BY CAROLYN J. BOTT, W.P., '11

(Note. Here is an excellent example of "Back-to-the-Landers" making good in the Poultry Business,)

"Turkey, duck, rooster, hen We'er the best that's ever been We're right here, just fifty-seven Cornell Poultry, nineteen-eleven."

SOME few years ago we came into possession of a country place on the outskirts of a fairly, large city. With this home we became owners also of a flock of white Wyandotte hens. These were taken care of for a year or more by our hired man with the result that we received a few eggs in the spring, but none in the summer, fall or winter.

I resented this attitude on the part of the hens and decided to look into the matter. We sent to the Maine Experiment Station for their bulletin to see if we could make the hens behave differently. We knew absolutely nothing about hens, but followed their instructions to the letter, and just three weeks after that we found our first eggs, not withstanding that this was in December. This convinced us that hens did lay eggs, a fact previous to that time it was difficult for us to believe. They laid steadily and our interest increased.

It so happened that we decided to be "Back to the Landers." We had a large dairy farm of 400 acres that was being run on shares, situated in

Shelburne, Vermont, on the beautiful shores of Lake Champlain.

We attempted for three years after our arrival to run the dairy part of the farm ourselves, but with the incompetent help and the low price of milk we found it anything but a remunerative proposition; it was also a source of great annoyance. So in desperation we have again rented it. Fortunately it is so situated that the dairy part can be cut off and not interfere with our poultry business or our residence and grounds. Our experience has been that with the price of labor, and the poor work given in return for high wages, nothing can be made in running a dairy situated as far from a good market as we are, and we feel that the only excuse for our dairy farm is to furnish skimmed milk for our poultry.

In the winter of 1910, I went to Cornell and took the Poultry Course. On the first day of the class, I remember being asked what breed I wished to have for pen practice, and I loyally stuck to Wyandottes; but before I had finished those six weeks of arduous labor and had seen other students carrying in dozens of eggs, while I was getting only a few, my

loyalty received a bump, and before the course was over I was a strong convert to Leghorns for the com-

mercial plant.

We started in April with two 460 egg incubators and three Cornell gasoline brooders. We did not hatch a large percentage of our eggs that first year, although our brooding record was good. In the fall we built a three-pen, long house, each pen 20 x 20 feet with shed roof, cement floors, and muslin curtains after the approved Cornell plan. Board partitions three feet from the floor with muslin above, and self feeding hoppers between each pen. We put into our new house in the fall of 1911 only 270 pullets.

Lake Champlain is a wonderful country for beauty, but hardly an ideal place to start the poultry business with the thermometer often falling to 30 degrees below zero. Two hundred and seventy pullets meant only about ninety birds in a pen, and one night they froze their combs. Since then we have put muslin curtains on wires in front of the roosts, and when the thermometer registers zero at 10:30 at night, the man of the house gets his lantern, goes out and draws the curtains making it cozy for the ladies, who have done such good work for us. Of course with the zero weather we got no eggs for some time, but at the end of the year we cleared \$1.68 a bird.

When I give our profits, I wish to make the point that a regular set of books is kept and everything charged against the birds, feed, cartons, cases, interest on the investment, and all expenses of every kind. We do not make any charge for labor against our profits, as we consider this a one man business, and the profits are supposed to include the care and labor of the owners. In fact, the labor consumes a great deal less than one man's time, except at the brooding season. If labor is to be charged against the profits, they, of course, would be correspondingly reduced.

The following fall we built an ad-

dition of two pens on to our original three pen house, making a house of five pens, each pen 20 x 20, and feed room. That year we started in the fall with 515 pullets and 200 hens and made a net profit of \$2.18 a bird

during the year.

The following fall we added two more pens to our long house making seven pens 20 x 20 feet each, and also enlarged our feed room making that room 18 x 20 feet, enabling us to buy our feed in large quantities at a considerable saving. We put into this house 600 pullets, and 340 yearlings and 200 year-olds, the latter for breeders. We were fortunate enough to sell a considerable number of eggs for hatching, but our principal source of income was from market eggs. We cleared \$3.05 net per bird that year, and had an average production of 170 eggs from our pullets kept in one large flock.

Our brooding records for the past three years have been 97½%, 95% and 96% respectively. That is, we raised to eight weeks old (when they were put on range) the above percentage of chicks put into the brooder. We never put into a brooder a chick that shows the slightest weakness or deformity, and the moment one develops droopy wings or low vitality. that chick is killed, and charged up against the brooding record of that house. This is done systematically, and we know our records are correct

and not padded.

I personally take entire charge of the incubating and brooding. No one feeds my chicks but myself, and they are fed as regularly as an infant. After the chicks have reached eight weeks of age, they go in range where they lead a free, untrammeled life with everything that a self-respecting chick needs to make it happy

I know my percentage in brooding would have been higher this year had I not been compelled through illness to leave my last batch of chicks when about three weeks old. These little fellows were left for our man to take

Continued on page 510.

## FACTS ON SUCCESSFUL POULTRY KEEPING

BY EDWARD S. PARSONS, W.P., 1911-12

Manager of the Poultry Department of Broad Brook Farm, Bedford Hills, N. Y.

THE poultry department of Broad Brook Farm, Bedford Hills, New York, of which I am in charge, consists of about 15 acres of land all of which is set out to an intensive apple orchard.

While the chicken department and apple orchard use the same land they are absolutely independent departments. Each keeps its own records and accounts of all business.

practical and scientific knowledge of poultry.

All revenue comes from the sale of sterile fancy white eggs, eggs for hatching, line bred cockerels, cocks and hens as breeders, fancy broilers, fancy light roosters, custom hatching and day old chicks.

The stock, Single Comb White Leghorns, I have line bred for constitutional vigor, late molting, size and



The cockerels which are being fattened for fancy broilers live in small colony houses. The out-of-doors feed hopper, shown in the left side of the picture. is a very convenient asset.

The soil is light and gravelly with a sandy sub-soil, affording excellent drainage and making it possible to keep a very large number of chickens per acre.

This combination of chickens, fruit and light soil is ideal. The chicken manure gives strength and rapid growth to the trees, and in most cases, brings them into bearing younger. The orchard in turn gives shade in summer and helps to break the wind in winter.

The poultry department on Broad Brook Farm is run to pay and not as a hobby or plaything. Success in poultry depends as much on sound business principles and ability, as on egg production using only large cockerels of known parentage. Now that I have given a rough outline of the plant I will begin with the starting of the incubator and give the working system from the time the chicks are born until they are sold.

All hatching eggs are dipped in a solution of bichloride of mercury and let dry before going into incubator. The first eggs go in about February 7, the last about the middle of April. I do not want chicks hatched after May 10th. The floor of the incubator cellar is always kept wet, and on the 18th day all eggs are sprinkled with warm water. As soon as the chicks are dry in the incubator (that is 24

hours before chicks are usually removed) they are taken out and each chick given a pen dropper full of commercial starter, buttermilk, or clean sour skimmed milk, down its throat filling the crop. (I prefer commercial starter.)

I have proved by the last two years' results, that my method of filling the chick's crop as soon as dry with starter will overcome Bacillary White Diarrhea and make it possible to raise strong vigorous chicks from once in-

fected stock.

After the chickens get their dose of starter they are put in the brooders, fed and cared for as follows:

As soon as the sex can be told (4 to 5 weeks) the chicks are gone over, all toe-marked cockerels left with the pullets, the remaining cockerels put in another pen to be fattened and rushed to market. Last year some cockerels weighed 11/2 lbs. at 7 weeks

No food is given until chicks are 36 hours old. After chicks learn to drink, sour skimmed milk is always before them in open pans. Fresh water with permanganate of potassium in it, is always before chicks, also oyster shell and grit.

Beginning with the first feeding, chicks get all the green food they will eat; I use mangel beets stuck on nails and find picking at the beets keeps the chicks busy and out of

mischief.

First feed to fifth day. Mixture 1fed dry, three times a day, 6 A. M., 11.30 A. M., 5 P. M. Mixture 1-2mixed half and half; fed dry twice a day, 9 A. M., 3 P. M. All feed given in shallow pans, left before chicks only ten minutes at each feeding. A little of mixture 1 is scattered in litter to make chicks learn to scratch. On second day mix mixture 3 with 1 for 6 A. M., 11.30 A. M., 5 P. M. feeding.

Fifth day to second week. Mixture 1-3, mixed, fed in litter three times a day, 6 A. M., 11.30 A. M., 5 P. M., all they will eat up clean. After few days drop out mixture 1. Mixture 2, fed dry in low troughs with wire screens, twice a day. Half hour in morning 9.30 to 10 A. M. One hour in afternoon, 3 to 4 P. M.

Second to fourth week. Mixture 3, the same. Mixture 2, before chicks one hour in morning, all afternoon.

Fourth to sixth week. Mixture 3 the Mixture 2 always before

chicks.

Sixth week to maturity. Chicks on range. When chicks are first taken out mixtures 3-5 mixed are fed in colony houses or temporary yard. Mixture 4 in hopper in house. As soon as chicks are given free range, mixture 4-5 is fed in large outside hoppers. After chicks are 3 months old, mixture 6 is used. All cockerels to be fattened are kept in small flocks in pens. The fattening mash is always before chicks in hoppers, and fed wet with some skimmed milk at I P. M. At night they are given all the corn they will eat up clean.

### CHICK RATION.

| Mixture 1.   | Mixture 2.   |  |  |
|--|--|--|--|
| 100 Pin head oatmeal 15 Fine sifted meat scrap 15 Fine oyster shell 15 "grit | 100 "bran<br>100 Corn meal<br>20 Alfalfa meal<br>100 Fine sifted meat<br>— scrap |  |  |
| 251  | 420  |  |  |
| Mixture 3.   | Mixture 4.   |  |  |
| N.R. 1:8.25  | N.R. 1:2.21  |  |  |
| 100 Fine cracked<br>corn   | 50 Wheat middlings<br>40 " bran  |  |  |
| 100 Fine-Cracked   | 30 Corn meal   |  |  |
| wheat  | 20 Gluten feed   |  |  |
| 200  | 40 Meat scrap  |  |  |
|  | 180  |  |  |
| Mixture 5.   | Mixture 6.   |  |  |
| N.R. 1:8.68  | N.R. 1:8.30  |  |  |
| 200 Cracked corn<br>100 Whole Wheat<br>300                                   | 200 Cracked corn<br>100 Wheat<br>50 Oats   |  |  |
| Fatton   | ing Mash   |  |  |
|  |  |  |  |
|  | 1:4.43.  |  |  |
| 50 Fine n  | meal<br>middlings<br>neat scrap.   |  |  |
| 500  |  |  |  |

All laying and breeding stock are



Top.—Cornell colony house, surrounded by orchard, which is planted with rye in which the chicks can run. MIDDLE.—Pullets and marked cockerels. This picture was taken in June. Note size of pullets. Bottom.—Long house, 350x16, holding 2100 chickens. Range is seeded and harrowed twice a year.



The poultry plant is located in the orchard here furnishing ideal conditions for the hens.





housed in two houses, one 20 x 80, capacity 500-550, the other 16 x 350 with feed house in center, killing and picking room underneath, extra storeroom and living room above, at west end, manure house with drive underneath and trap door. An overhead trolley runs through east pen, around feed room with extra switch through west pen to manure house, a stove and non-freezing hydrant are at one side of feed room. By using a water barrel, feed and manure cars, labor is reduced to the minimum. 900 to 1075 chickens are kept in each side running together with excellent results. Houses of this type have many advantages over small houses, they are cheaper to build per hen capacity, are much warmer in winter, cooler in summer when equipped with large back ventilators, everything being compact and under one roof, there is no lost time of labor.

The last of August, pullets are brought in from the range and put in one side of long house, and small house. Marked cockerels to be kept as breeders are put in other side of long house with hens.

All laying stock are given ration 1.



This house is 20x80 with room for 500-550 hens. Note how well lighted the house is.





| Rati               | on 1.   |        |
|--------------------|---------|--------|
| 60 Wheat Middlings | 1       | )      |
| 50 Corn Meal       | N. R.   |        |
| 40 Wheat Bran      | 1:2.17  | N. R.  |
| 10 Oil Meal        | Mash    | 1:469  |
| 50 Meat Scrap      | j       | Ration |
| 240 Cr. Corn       | ) N. R. | 1      |
| 120 Wheat          | 1:8.30  | 1      |
| 60 Oats            | grain   | }      |
| -                  |         |        |

For the breeding stock I use a wide ration because breeders cannot be forced by heavy feeding of protein and other stimulating foods and be expected to lay eggs that hatch and produce strong chicks. Forced feeding does not affect fertility, but it most assuredly does affect the hatching power of an egg, the strength of the germ and the chick.

From November 1st to May 1st, all breeders get ration 2.

| Ration 2.<br>60 Wheat Middlings<br>70 Wheat Bran<br>60 Corn Meal<br>20 Meat Scrap | N. R.<br>1:3.52<br>Mash  | N.R.   |
|---|--------------------------|--------|
| 240 Cr. Corn<br>120 Wheat<br>60 Oats  | N. R.<br>1:8.30<br>Grain | Ration |

With the exception of the mash, the breeders and laying stock are treated alike. Mash is always before the birds in hoppers which are filled every Monday morning. Each account

is kept of pounds consumed by each pen or house. By knowing the amount of mash consumed, it is easy to feed the grain at the proportion of 2 pounds grain (or little less) to 1 pound mash. Dropping boards are cleaned every day except Sunday. Early every morning all chickens get fresh water with permanganate of potassium in it, and again at 1 p.m., right after watering, all chickens get a light grain feed and in winter again at 11:30. This is to keep them busy and exercising.

At I P. M. green food is given. In winter mangel beets, using 8 pounds to 100 chickens, spring, until a killing frost, green cut alfalfa, oats and peas, are fed on the litter, all they will eat. At 4 P. M. in winter, 5 P. M. in summer, the heavy grain feed is given.

Clear dry days all chickens are let out just before noon. I have found the egg production is higher when hens are not out all day. After December 1st they are not let out until the ground has dried up in spring.

All houses are disinfected with cresol every other week. Nests and roosts are scraped and painted with kerosene about once a month. Tobacco stems are used in nests.

Continued on page 512.

## FARMERS' WEEK IMPRESSIONS AND COMMENTS

BY BRISTOW ADAMS

AFTER having attended Farmers' Week gatherings in many parts of the country as widely separated as Louisiana, Virginia, and Wisconsin, one naturally has some preconceived notions as to Farmers' Week in New York. These notions were quite upset; experiences in other states gave no anticipatory idea of the numbers, interest, and perfection of organization to be found at Cornell.

Before the Week began it seemed that the plans were nebulous; there was a surprising lack of "fuss and feathers," as if those who had the matter in charge expected the events just to happen. On Monday, however, everything slipped into well-oiled grooves, and the exercises were under way with all the smoothness of a shiplaunching.

It is hard to understand how Ithaca took care of one-fourth more than its normal population; yet a somewhat careful inquiry failed to reveal any source of dissatisfaction. Throughout the week the cheery good nature of all of those who were in attendance, either as spectators or as performers, was worthy of comment; and even at the end of the week, when one might suppose that the strain would begin to tell in fatigue and in frayed nerves, the same pleasant feeling prevailed.

An ideal of helpfulness pervaded the

whole place.

The big feature was the attendance, and the final figures showed a total of 3,877 actually registered as against 2,551 the year before and 2,409 in 1913. This marked increase was more noteworthy in comparison with the fact that in other Agricultural Colleges there was a decrease in Farmers' Week attendance, such decrease having been reported from Pennsylvania and other nearby states. Missouri and Ohio showed increases, and Missouri with 2,810 registration claimed the largest attendance ever recorded at any meeting of the sort in this country. Missouri held the record for less than a month, when New York came along and topped Missouri's crowd by 1,067.

A good many have sought to analyze the cause of this increase. Early estimates predicted a falling off, based upon unfavorable farming conditions during the past season, upon business depression, and upon reactions from the war. Several at the College said that they would not have been surprised if the registration had shown a falling off of approximately one-third. When it showed an increase of that proportion those who were interested in statistics immediately set out to seek the cause. Various explanations of the increase have been advanced. First, there was the prestige and the popularity of Dean Galloway, who had recently come to the college after having achieved prominence in national agricultural circles as Assistant Secretary of the U.S. Department of Agriculture. Professor Tuck, head of the extension department, which had the Week in charge, said he thought there was an additional reason for the increase in the cooperation of the rural and agricultural press which printed a great deal of information about Farmers' Week and its activities. The first news story sent out by the College was printed in no less than 193 papers, with a total actual circulation of 919,800. In addition to that item. the College sent out thirteen other

news stories, each one bearing on Farmers' Week, but treating of some specific feature, such as the vegetable growers' association, potato show, home garden day, drainage convention, good seed conference, a chance to learn about poultry, a conference of farm bureau workers, country church conference, demonstrations in dairy work, exhibit of farm animals, meeting of floral clubs, home economic conference, and a gathering of fruit growers. Each one of these through the helpful cooperation of the press undoubtedly had its effect in adding to the attendance.

Dr. Andrew D. White, first president of Cornell University, was another who was impressed by the attendance, and sent the following message, which was read to those who gathered to hear the Eastman Stage

"I have looked over the program of subjects with particular interest and appreciate the value of the exercises. It pleases me to know that the state is doing all this splendid work for its agriculture and its farmers. The attendance is a source of great satisfaction to me, particularly in the fact that people have come so far and that numbers of young people came today. As I look out of my windows I survey the College of Agriculture, and I am filled with satisfaction that this great work is under way.'

Of the week itself there is little that should be singled out as pre-eminent. On every side were comments of high praise for those who had arranged the program and who took part in carrying it out. There was no friction and no accident to mar a perfect week.

The student activities are worth special mention, not only because they added to the enjoyment of those who attended, but also because they gave object lessons to the visitors of what the College might be supposed to stand for. Without doubt the best feature contributed by the students was the Eastman prize competition. It is no disparagement to the College staff, or to the visiting lecturers, to say that the appeals for the ideal country home and for better recreation facilities, made by Mr. Hatch and Mr. Heinsohn probably had a more potent effect than most of the other talks given during the week. To mention only the winners, too, does a certain injustice to the others who had part in an even contest.

Another form of the students' activity, inconspicuous but of great value, was shown in their unselfish service as guides, guards, registration clerks, and announcement, arrangements, attendance, checking, rooming, ventilation and information bureau workers. Those who had occasion to note it, will not soon forget, for example, the devotion of one man who had charge of the trying task of the cloak room, and was on hand from early morning until the last entertainment was over at night.

One comment on the motion pictures shown in the Auditorium expressed very well the point of view of most of those who attended. These motion pictures were a new feature, and were introduced merely as a counter attraction during lunch hour, so that there would not be too much congestion at one time at the eating places. A few of the films shown were of the melodramatic type, and one earnest-souled farm woman re-

sented this in the remark that she "had come to be instructed and wanted all the instruction she could get." The next day the films showed the operation of milking machines. and also the work of the Federal Forest Service in administering the National Forests, especially as to their protection from fire. The films of this type seemed to give perfect satisfaction. As a result, it is planned that such films used another year will aim to combine education with entertainment. Next year, perhaps, it will be possible to show some of the "movies," taken at the College this

In spite of the larger attendance the crowds were handled with great ease. This was due no doubt to the availability of two new buildings, the Forestry Building and the new Soils Building, and to the efficient student help.

Having demonstrated that the College can readily handle approximately 4,000 people during Farmers' Week, the Extension Department is confidently looking forward to taking care of more than 5,000 next year, and the whole College is hoping that the farmers of the state will take advantage of the opportunity to see their institution and to get acquainted with it at first hand.

"DAFFODILS
THAT COME BEFORE THE SWALLOW
AND TAKE WINDS OF MARCH WITH
BEAUTY."

-Shakspeare

## THE CORNELL COUNTRYMAN

FOUNDED 1903

INCORPORATED 1914

DR. L. H. BAILEY, Pres. E. C. HEINSOHN, Vice-Pres. A. W. WILSON, Sec'y-Treas.

# NEW YORK STATE COLLEGE OF AGRICULTURE AT CORNELL UNIVERSITY, ITHACA, NEW YORK

Women's Editor MISS R. H. SMITH W. D. HILL STUART WILSON J. A. VANDERSLICE P. G. DRABELLE D. M. HINDRICHS

J. R. DU FLOO

J. L. EDWARDS

Editor in Chief E. C. HEINSOHN Business Manager A. W. WILSON Ctrculation Manager
W. E. MONSON
B. W. KINNE
C. W. MOORE
L. E. GUBB
P. C. CUTLER
J. H. HATHAWAY
H. A. MENG

SUBSCRIPTION RATES-\$1.00 Payable in advance

SINGLE COPIES-15c

ADVERTISING RATES on application

The Cornell Countryman does not guarantee its advertisements, but all which are known to be fraudulent are rejected.

J. S. SHANLY H. S. SISSON I. B. DEWSON

Entered as second class mall matter at the post office, Ithaca, N. Y., under Act of Congress, March 3, 1879.

## Practical Experience

Recently, there was received at the College, a letter telling of a graduate who had failed to make good as a farm manager, mainly because of his lack of practical farm experience. Such cases as this which are not altogether un-

common, are demonstrating the importance of the problem of farm experience which this college and which all agricultural colleges are now facing.

The time is coming, and is coming fast when the College will demand more farm experience before graduation. This is bound to happen. The reputation of the College is already suffering too much because so many of its graduates lack this experience. But how shall the students who have not had this practice, secure it?

Probably the best thing for them to do is to stay out a year and work on a well managed farm. It is far better to do this now than to wait until after graduation. They will find it much easier to secure a satisfactory position. If this is impossible the next best thing to do is to work on a farm during the summer. Now is the time to begin to look for a place on a farm.

Perhaps the question is raised as to how such positions can be obtained. If you are not personally acquainted with any farmers for whom you could work, seek the aid of the various departments in the College. If you want a position on a fruit farm, probably the Pomology Department will help you; on a poultry farm, the Poultry Department will assist. Put in an application in the Farm Practice office.

A few years ago a student, desiring a position for the summer, selected at random, from a list of the members of the New York State Fruit Growers' Association, twelve names in the locality in which he desired work. He wrote to those men and in this way secured a very desirable, enjoyable and profitable position.

Former students, here is an opportunity for you to help the College. If

during the coming summer, you can employ any students on your farm, by all means do so. Help some fellow Cornellian to be better fitted to start his life's work.

Our Assemblies. The pendulum is about to swing the other way. During the last few years there has been a gradual falling off in the popularity of our Assemblies, due to the great diversity of interests of the student body and to the enormous increase in numbers of the students. The old Ag. spirit of sociability and friendliness, which was so prevalent at our former Assemblies—a feeling that no one could afford to miss these meetings—threatened to become atrophied. But the time is at hand for this spirit to reassert itself. The pendulum had swung too far the other way

and is now swinging back.

The Assembly of March 11th will mark the start of a new era. Recognizing a growing sentiment against the long lectures at these gatherings, the Assembly Committee is arranging for an entirely different program, one more especially designed to promote the social phase, but at the same time having an educational background. There will be three Assemblies this term, each one distinguished by some new feature. The program for Thursday, March 11th, includes a mock Congressional hearing, good music and a social "get-together" afterwards. The meeting will be held in Bailey Hall.

Faculty and Students,—now is our chance! Let us all put our shoulders to the wheel and push, and make the Assemblies something to be anticipated and looked forward to, long in advance. These gatherings furnish the best opportunity for faculty and students to meet each other on a common ground and get better acquainted. They are too valuable an institution to be lost. Let us start things with a rush by having everybody come out to the next Assembly.

Six of the leading Agricultural College Magazines sent Association of Ag-delegates to Chicago for a convention on February 12th ricultural College and 13th. The size of publication, the number of Magazines Founded issues and the advertising rates were standardized.

The CORNELL COUNTRYMAN leads the other magazines in the Association in size of circulation.

At last our dreams are realized! On February 23rd, the Cornell Countryman School House, formerly occupied by the Department of Rural Education. This change to larger, lighter and more convenient quarters will greatly aid the staff in their work. To have a building of their own has been the hope of many former boards and now that this is a reality, we issue a hearty invitation to all our friends to visit us and allow us to "show them around." The Countryman staff feels very grateful to the College for this building and takes this opportunity to express their appreciation.

Elections

The COUNTRYMAN wishes to announce the following elections to the staff: Miss R. H. Smith, '16, to succeed Miss H. M. Bergholtz, '15, as Women's Editor, and I. B. Dewson, '18 as a member of the Business Board. The staff desires to thank W. L. Dean, '18 for the excellent work he did in competition.



## **CAMPUS NOTES**

Cornell University
Poultry Association
versity Poultry was organized in 1903.
Association. It is believed by the

writer that it is the third oldest student organization of this College; the Agricultural Association and the Lazy Club having been formed prior to it. The Association was formed for the purpose, first, of stimulating and encouraging students' initiative in organization; second, of conducting an annual poultry show and educational exhibit; third, of holding meetings at regular intervals for the social and educational advantages that were to be gained.

The Association has been financed primarily by the sale of poultry books and magazines, and the collection of a small annual fee for membership. The total sale of books and magazines having amounted to over \$500 in a single year, as the result of the voluntary effort of those students interested in poultry. It is due to this that the Poultry Association now has over \$200 on which it is realizing 5% interest.

The association has from time to time offered special prizes to students for excellence in judging and scholarship, etc.

A total of six poultry shows have been conducted. In several instances the funds raised by the students were sufficient to fully finance the holding of the annual poultry show which included such expenses as catalogues, ribbons and general printing expenses. The first poultry show was held in 1904 in the old judging pavilion. An educational exhibit was staged there, and the total registered attendance

was 424. The second show was held in the Farm Mechanics Laboratory in the Agronomy Building, which is now the Library. The registered attendance was 511. The third and fourth shows were held in the Animal Husbandry judging pavilion. The next poultry show was held in the basement laboratory below the old Horticultural Library. The following year one of the green houses was used, and the next year, a show was staged in one of the head houses of the green The shows then had to be house. discontinued because of lack of space, and only a few birds have been shown since, merely as an educational exhibit. In 1914 the registered attendance of the educational exhibit was 708, many more not having signed their names.

Findlay The first prize for a Drainage report on drainage before Prize. given Sixth Annual vention of the New York State Drainage Association was won by A. B. Beaumont, Grad. His report concerned the "Principles of Underdrainage in Relation to Soil Improvement." The first prize consisted of \$25 in gold and a banner. The second prize of \$10 and a banner was received by W. C. Lyman, a short course student who delivered a report on "Reasons for Tile Drainage." R. E. Barringer, '16, and J. R. DuFloo, '17, received third and fourth places respectively. All of the reports were well presented and the competition for first place was

very keen.



SPEAKERS ON THE HIGHTH ANNUAL EASTMAN STAGE
E. C. HEINSOHN, '15(2ND); T. B. CHARLES, '15; E. D. ROGERS, '16;
B. W. KINNE, '16; MISS R. H. SMITH, '16; D. S. HATCH, '15 (WINNER)

The Eighth Annual Eastman Eastman Debate Stage Stage. held February 12, was won by D. S. Hatch, '15, of Greenwich, N. Y., who de-livered an address on "The Farm Home''. E. C. Heinsohn of Mt. Vernon, N. Y., won second place on his presentation of the subject of "A Plea of Recreation in Our Rural Communities". In the absence of Dr. Andrew D. White, who was to preside at the stage, Director B. T. Galloway introduced the speakers. This stage is open only to undergraduates in the College of Agriculture who through competition are chosen to compete for a first prize of \$75 and a second one of \$25. These sums of money are available on account of the generosity of Mr. A. R. Eastman, a farmer and business man of Waterville, N. Y.

This stage was given before a large audience of persons in Bailey Hall most of whom were Farmers' Week guests. Hatch spoke in a plea for the improvement of the farm home in equal ratio to the improvement which has been brought about through science in the business end of a farming enterprise. Heinsohn devoted his speech to the increasing necessity for play grounds and recreation pavilions even in the most thinly populated sections of the country. In addition to the prize winners, T. B. Charles, '15, spoke on "Is College Worth While;" Miss R. H. Smith, '16, on "The Country Girl;" B. W. Kinne, '16, on "The Lever Extension Act;" and E. D. Rogers, '16, on "Prohibition and the Farmer."

Changes in Roberts Hall.
Rober

the library formerly was. A part of the campus North of Roberts' Hall has been torn up for the purpose of connecting up the pipes from the new central heating system.

"The Kermis" given students deserves to have a permanent place among the events of Farmers' Week. The entertainment given in Bailey Hall, Wednesday evening, Feb. 10, was the second of its kind, since the production last year met with such success as to insure a repetition of the event. A number of separate acts or stunts by different undergraduate associations made up the whole performance.

When the Agricultural Glee Club sang the opening number there were few vacant seats in the large auditorium. After the Glee Club had delighted the audience with its singing, the Sophomore Class presented a short play in one act entitled "A Regular Fix." The humorous situations afforded by the rather simple plot of this act were very amusing. Students in the Landscape Art Department took part in a Scenario, in which students and trimmers did stunts, during the interval between the Sophomore and Junior productions. A dance by two of the members of a theater party was

one of the features of the Junior act which represented a cabaret. The Forestry Club act was entitled "A Day's Work." A few of the duties which are parts of the ordinary day's work of a Forest Supervisor were humorously shown in this production. The Lazy Club gave a comic negro minstrel show. The Seniors presented "Mutt and Jeff at the Circus." These comic characters were shown at Farmers' Week, at the circus, and at home.

Photographic prints of the Kermis cast may be obtained at the H. C. Cable Art Store, 405 College Ave., Ithaca, N. Y. at 25 cents each.

The Weather map which has been placed near the main entrance to Roberts

Hall is surely an object of interest to students. Before the college secured it, the map was used in Trenton. Each morning the weather indications on the map are changed according to messages received by the local station from stations scattered over the whole country. The map graphically gives information about high and low pressure areas, temperature, direction of winds, and state of the weather in different parts of the country.



## FORMER STUDENT NOTES

Former Students—Your classmates are anxious to know what you are doing. Write today, giving us some information about your work. Also if you can employ a student on your farm during next summer, please let us know, as there are many seeking such positions.

Among the various departmental clubs of the College of Agriculture, the Poultry Association is second oldest having been organized in 1908. Its object is primarily to bring together those students who are interested or specializing in Poultry Husbandry.

prietor of poultry farm at Bergen,

1904, J. G. Halpin, '05, Professor of Poultry Husbandry, University of Wisconsin.

1905. L. B. Cable, President. Special. Proprietor and Manager of a large stock farm.



CORNELL, IS WELL REPRESENTED IN THE POULTRY DEPARTMENTS OF THE VARIOUS AGRICULTURAL, COLLEGES OF THE U. S.

Perhaps the activities of the Association can best be shown by listing some of the most active members and showing what they are doing at the present time.

1904. C. A. Rogers, '04, President. Formerly Assistant Professor of Poultry Husbandry at Cornell. Now pro1905. J. H. Moody, Superintendent of the Harriman Farms, Harriman, N. Y.

1905. L. G. Thayer, Proprietor and Manager of a Poultry and Truck Farm near N. Y. City.

1906. H. S. Martin. Merchant and Poultryman.

1906. H. F. Prince, '07, President. Proprietor of Fruit and Poultry Farm in Colorado.

1907. R. C. Lawry, '10, President. Proprietor of Yesterlaid Poultry Farm

Pacific, Mo.

1907. C. F. Boehler, 'og. Landscape Architect, Toronto, Canada.

1907. P. W. Kimball, Supt. of Yesterlaid Poultry Farm, Pacific, Mo. 1908. L. F. Boyle, '10, President. Manager of Truck Farm in Utah.

1908. W. O. Strong, King's Mill

Farm, Grove, Va.

1909. F. S. Jacoby, '10, President. Professor of Poultry Husbandry, Ohio State University, Columbus, Ohio. 1909. T. E. Schreiner, Sp., Supt.

of poultry farm, Atlanta, Ga. 1909. H. B. Rogers, '13, County

Agent, Chautauqua, Co.

1910. E. W. Benjamin, '11, PhD., 14, President. Assistant Professor of Poultry Husbandry, N. Y. State College of Agr., Cornell.

1910. J. E. Dougherty, '11, Professor of Poultry Husbandry, Davis Agricultural School, Davis, Cal.

R. V. Mitchell, Special. Assistant Professor of Poultry Husbandry, N. H. Agricultural College.

1911. O. B. Kent, '13, President. M.S. '14. Instructor in Poultry Husbandry at Cornell.

1911. P. R. Guildin, '13. Proprietor of fruit farm, N. J.

1911. Pound, '13. Proprietor of poultry and fruit farm, N. J.

1912. G. H. Masland, President. Proprietor of poultry farm, Newtown,

1913. H. A. D. Leggett, '14, Presi-Agricultural Instructor of Olericulture, and Allied Poultry, Sciences, Vocational School, Springfield, Mass.

1913. T. J. Conway, '14, Assistant in Poultry Husbandry Texas Experiment Station.

1913. H. C. Knandel, 14, Instructor and County Adviser, Berkley, Mass.

1914. A. B. Dann, '14. President. Instructor in Poultry Husbandry, N. Y. State College of Agriculture, Cornell.

1914. T. B. Charles, '15, President. Assistant in Poultry Department at Cornell.

CORNELL AG. MEN IN THE U. S. DEPART-MENT OF AGRICULTURE.

There are at present residing, or officially stationed in the city of Washington, about 65 graduates and former students of the College of Agriculture at Cornell. Of these there are at least 60 enrolled on the scientific staff of the United States Department of Agriculture. The Bureau of Plant Industry, the largest in the Department, claims 43 of the 56; the Bureau of Animal Industry employs 9; the Bureau of Entomology 5; and the Bureau of Soils, the Bureau of Chemistry, and the Office of Experiment Stations 1 each. One graduate is the chief of the Bureau of Mines of the Department of the Interior, one is inthe Patent Office and one in the Bureau of Education of the same Department, one is in business in the city, and one is connected with the Chinese Legation at Washington.

'77, B.S.-Leland O. Howard. At the recent meeting of the American Association for the Advancement of Science, held in Philadelphia Dr. Howard, who is Chief of the U.S. Bureau of Entomology, was reelected permanent secretary of the Association for a period of five years. During the course of the meeting Dr. Howard and several other prominent scientists expressed their willingnessthat their brains should be used for scientific study after their death. This action on the part of such scholarly men is expected to result in a distinct contribution to the science of Neurology.

'81, B.A.—Joseph A. Holmes, Chief of the Bureau of Mines of the U.S. Department of the Interior, has been for some time at Fort Bayard, New Mexico, where he is slowly recovering from a protracted illness. During the past year Dr. Holmes has been President of the Cornell Club of Washington, a position to which he was recently unanimously reelected. It will probably be six mouths more before he can return to Washington.

'98, B.S.A., '01, D.V.M.—A. R. Ward, has just been promoted to the responsible position of Chief of the Pathological Division of the Bureau of Animal Industry in the U. S. Department of Agriculture.

'c2, B.A.—Miss Clara W. Hastings is part owner of a successful poultry farm at Homer, N. Y. After graduation she accepted a clerical position in the manufacturing plant belonging to her father. This position she held for the next nine years. At the end of that time she decided to start in the poultry business in a modest way, first coming back to Cornell to take the short course in Poultry Husband-ry.

In March 1912, she purchased a second hand incubator. By running this twice she obtained several hundred chicks in May. At that time her father's plant was destroyed by fire, and it was decided to move to a farm. In the meantime she had bought another incubator and had placed orders for 1700 baby chicks, and several houses. In the fall of 1912, there were 600 pullets. This number was increased to 1000 by the next year and a mammoth incubator was installed. Last year another added section was to the cubator and the flock increased to 1200. It is planned to further increase the flock this year up to 2000. Only utility S. C. White Leghorns are kept. The egg production from September, 1913, to September, 1914, was 138,768 or an average of 138 per fowl.

'04-'05, W.P.—The former students of Chautauqua County have formed a club that takes in all the students of that county. The purpose of this club is educational as well as social. Their third banquet was held during the holiday season at Jamestown. About 85 attended, Professor Burritt delivering an address.

Professor A. R. Mann has been very helpful in the interests of this club. H. H. Harriman writes of this club very enthusiastically. He states in part, "Am glad to let the boys know that there is an organization, without a constitution or by-laws, that has stood more than two years because of the real merits of the club. Practical questions that come before the monthly meetings, sharpen the wits of the members, act as spurs to the future farm work, and keeps active the meetings. \* \* \* \* Would that every county had a club." Harriman is at present traveling for a Cleveland firm. His home is in Chautauqua County, N. Y.



MRS JAMES S. LANGFORD, SHUSHAN, N. Y., FORMERLY MISS WITHERELL, W. P., '12

'06, W.C.P.—We are in receipt of a very good account of what C. W. Joslin has been doing since he left Cornell. We take the liberty to print it word for word.

"In reply to your requests about my poultry work since leaving Cornell I will say that it has not been on a very extensive scale as I am in partnership with my father in general farming on the old Joslin Homstead that has been in the family's possession for more than a hundred years.

"We have at present soo white Leghorns and a trade with one of the best grocery stores in Troy, to which we have shipped eggs for eight years. The eggs are cleaned, graded and stamped with our name and address which we have tried to make mean quality.

"I also took some work in Horticulture while at Cornell and soon after getting home planted an orchard of apples, pears, plums and cherries for fillers. They have done well and gave

a large crop this past season.

"We also planted part of the orchard to strawberries, raspberries, etc., and placed the Cornell type of colony houses near these. The shade of the raspberries and the trees makes a good place for the chickens and they help in developing the orchard and in producing some large crops of berries. Because of lack of efficient help we have had to cut down the berry plantations and reduce our acreage of potatoes, putting the most of our efforts on the farm to growing grain crops.

"We raise some colts, a small herd of cows, the milk being sold to parties from Boston and taken at the farm by teams that collect it in this section and deliver it to the stations for ten

cents per hundred pounds.

" As to future plans I think the poultry part will be large enough, with the other farm operations, when we reach a thousand layers. think the poultryman will stay in the poultry business much longer if he runs his business more along the line of a poultry farm than a poultry plant, meaning by that to be able to raise part of his own feed, and giving part of his time and employee's time to dairying as general farm work, for the two work well together and on many of the eastern farms, the farm income can be doubled by a good sized flock of layers, the farm fertility increased and the amount of either stock crops raised need be no less, and probably

be much safer than either poultry or crops alone."

We wish to thank Mr. Joslin through these columns for his lengthy letter. It is only in this way that we can let you know where your old friends are, or tell them about you. We have met with a great response to our requests for material and pictures for the Former Student Notes of the last From now on we are few issues. going to rely more on the former students themselves for support. The ball has started rolling and with a few lines or more from you every once in a while we can keep these columns full of notes and of pictures of the Former Students at work.

'09, B.S.A.—E. E. Eldridge, has left the Federal Bureau of Animal Industry to become Scientific Manager of the Phoenix Cheese Co., of New York, with headquarters at S. Edmeston, N. Y.

'o9, B.S.A.—Miss Alice Evans, who was doing graduate work at the University of Chicago last fall, is now in Washington with the Bureau of Animal Industry, for whom she has commenced an investigation of the bacteriological and mycological characters of fancy cheeses.

'09, B.S.A.-Since leaving college E. G. McCloskey has been engaged in educational work at the Agricultural High School at Sparks, Md. This is secondary education of strongly agricultural and vocational nature in a very truly rural community. It is educational work very much like agricultural college work in its scope except, of course, that it is not as broad. It does, however, carry out all the phases of school, demonstration, experimental, and extension work, and now he even has a school paper, agricultural in every way, and the only one that is known of in the country coming from secondary school.

'10, M.S.A.—"The Relation of Genetics to the Improvement of Sugar Cane," is the title of a pamphlet recently published by H. B. Cowgill,

and printed in the *International Sugar Journal* for 1914. Cowgill is in charge of the Sugar Cane Breeding Experiments, at the Porto Rico Sugar Producer's Experiment Station.

'14, B.S.-We have received a long letter from Chas. H. Ballou, who, after his graduation last June, went to Cuba to work as a pomologist for a contracting concern. These concerns make a business of caring for the property of a number of owners, doing all the work from clearing the land to marketing the fruit after the trees have reached maturity. One of these concerns now has over 500 acres planted to citrus trees, 10,000 of these trees were planted this fall. Soon he saw that it would be better to start out for himself as an Agricultural Expert, as there was no one to handle that side of the work.

Ballou therefore has the title of Agricultural Expert, with his office at La Gloria, Cuba. His work consists in making examinations of whole groves, or individual trees that need attention, and making any recommendations that may be necessary for



BALLOU SEEKING THE SHELTER OF A 5 YEAR OLD MARSH POMELO (GRAPE FRUIT) TREE



"FROM PRODUCER TO CONSUMER." BALLOU AS PRODUCER, ON THE CULTIVATOR,
A FRIEND, MR. BYRNE AS CONSUMER IN THE FOREGROUND.

the well being of the trees. If an absentee owner desires to know the status of his grove in detail, he makes out a tabulated summary for the owner, giving the condition and quality of each tree, and the amount of fruit to be expected. He then makes a chart, upon which the condition of each tree is indicated in its proper location. Where pruning or other work is needed, he directs the men himself.

La Gloria, where Ballou lives has a population of about 1000, most of whom are settlers from the United States. The place is very beautiful as well as very healthful and he says is an ideal location for either a summer vacation to avoid the heat, or a winter vacation to avoid the cold.

'07, B.S.A.—The first year after graduating H. H. Schutz farmed his own place; the next he left a young fellow in charge of it while he managed a 600 acre farm a few miles distant, remaining there until an offer presented itself to become one of the faculty of the New Mexico Agricultural College. After two years spent there, an offer came of the management and part ownership in a 4,000 acre irrigated farm at Los Lunas, N. Mexico, where he is located at present. Schutz has reached the point where he longs to get on about five acres of land which he can handle alone without the necessity of herding Mexicans, even through the interposition of a foreman.

'08, W.P.—W. H. C. Ensign after his departure from Cornell was manager of the poultry department of the Brook Hill Farm at Genesee Depot, Wis. He was in that position for two years, winning a record for winter egg production.

Since then he has made many changes in location for the purpose of the investigation of methods on large and well known plants. By doing this he has been able to observe the causes of success and failure in the poultry world. He has come up

against many of the problems and has seen many theories proved and disproved. Ensign adds that he has never met the Cornell "Short Horn" who was not glad that he had gone to Cornell.

'08, B.S.A.—Miss Ethel Gowans, is now in Washington, D. C., engaged in school garden work in connection with the Bureau of Education of the Department of the Interior.

'07-08, W.C.—We are in receipt of a little booklet from F. B. Roberts who attended here in '08. The booklet is a list of the speakers and their subjects for the use of the grangers and other agricultural associations of the State of Maine. He is one of the speakers, the subjects of his lectures being as follows. "How to Make Poultry a Source of Income on the Farm; How to Produce and Maintain a High Laying Strain; Vigor, Breeding, Feeding and Housing in their Relation to Successful Production of Poultry and Eggs." He and John A. Roberts, the Commissioner of Agriculture of the State of Maine are the owners of the Highland Farms at Norway Maine.

'07-'08, W.P.C.-On leaving Cornell, E. R. Stone took charge of the Poultry Plant at Pencovd Farm, Bala, Montgomery County, Pa., which is noted for Single Combed White Leghorns and Guernsey Cattle. He was there for two and a half years and from there went to Clifton Springs, N. Y., where he had charge of the Plant at the Sanitarium Farms. He was there three years and then came to the Vandercamp Farms, Cleveland, N. Y., owned by F. C. Soule & Sons, of Syracuse. This farm is noted for Holstein Cattle as well as White Leghorns.

The farm is composed of 15 acres devoted entirely to the poultry. About 1600 S. C. W. Leghorns are now kept, and an incubator plant of 3000 eggs capacity.

Continued on page 513.

# Martin's Dancing Academy

A GRACEFUL Dancer never has trouble filling his program. He is an "attraction" wherever he goes.

Dancing, correctly taught, develops gracefulness. We can teach you to become a graceful dancer because we know how to dance as well as how it should be done.

You learn to dance but once, You learn it right at MARTIN'S

109 East State Street Colonial Building Office Hours 8:30 A.M. to 9 P. M. Ithaca Phone 709-C Bell Phone 242-W

## How One Man Makes Money Growing Greenhouse Vegetables



HE has a goodly sized tract of land next to a hotel resort colony. He grew lettuce, radishes and spinach in cold frames and sold them to the hotels. It paid. He built a small greenhouse. It paid splendidly. Then he built another and grew cucumbers. Then another for tomatoes. Then still another for flowers. He has five autos now and rides around and certainly has all the looks of "money in the bank." He is now considering tearing down some of his first houses that he built himself, and

having us replace them with houses of ours, like his other ones.

He claims he would be many dollars in pocket if we had built for him at the start.

Think it over and if you want to get in a good paying business talk it over with us by mail or in person.

For over half a century we have been building greenhouses and we think we know something about how they should be built.

ord & Burnham 6

Sales Offices— New York Boston Philadelphia
And St. Blg. Tremont Bg. Franklin Bk Bg
Chicago Rockester Cleveland Toronto
Rookery Bg. Granite Bg. Swetland Bg. Royal Bk. B'g
Factories—Irvington, N. Y.—Des Plaines III.

In writing to advertisers please mention The Cornell Countryman

## My Experience with Poultry

Continued from page 490.

care of, and he did the very best he could, but I immediately sacrificed twenty on my return. It was simply that they had been pushed aside by stronger birds, and hadn't received the nourishment necessary. I see to it that all receive enough food at every meal. I counted these against my record, which, of course, reduced my percentage.

If everything I learned in the course at Cornell was to leave my mind, one thing would remain and that is the great importance of "Constitu-

tional Vigor."

Never will I forget that expression for therein lies one of the great essentials for success in the poultry business. Birds without "constitutional vigor" will not hatch strong chicks that will lay a large quantity of eggs. For the purpose of breeding we begin culling our early moulters and keep only our late moulters and fine vigorous birds. We do not try to have our breeders lay winter eggs, preferring that they save their strength to produce strong chicks in the Spring. We do not believe in pullet eggs for hatching and never even mate our pullets as we do not care to sell to some one else what we would not use ourselves.

We attribute what success we have had not to luck, but to hard work and looking after details. No night is too stormy nor too cold for us to go out and see if the chicks are comfortable or getting all the heat in their brooders that they should. I have known Mr. Bott, not ordinarily a patient man, to sit on a soap box in a brooder house watching a refractory burner until two o'clock in the morning and he wouldn't have left until

daylight if it had been necessary for him to stay.

When we "Back to the Landers" first started in the poultry business we were the subject of many a joke and laugh on the part of our neighbors, but now they are very glad to ask us for advice, and to consult us whenever they have a hen with the "pip." We have started four people in our immediate neighborhood in the business, one of whom is a retired Railroad President who wants to return to the simple life, and who will "make good" with his poultry as he has in the past in other spheres.

A neighbor once said to us "No wonder the Botts make money with their chickens, they live with them." Wherein is the disgrace in living with

perfectly well bred hens?

We follow the Cornell system entirely for we feel that Cornell has made a thorough study of this subject and we are willing to abide by the results of experiments of Professor Rice and his able assistants.

We lay no small part of our success to our market. We sell our eggs to hotels, restaurants and clubs where we obtain above the market price. Every egg is immaculate and they are packed in a special kind of carton in new cases. No wonder they look good enough to eat, these perfectly white eggs, absolutely spotless. No wonder we could sell them as many eggs as we produce, for our customers know absolutely the quality will be maintained.

Summed up, the essentials for success in the poultry business are:

Chicks and hens of strong "Constitutional Vigor."

Plenty of food (Cornell Rations).

A good market.

Good care and infinite pains with great stress on the "pains."

Subscribe Now for The CORNELL COUNTRYMAN



# **OTASH**

is food for thought as well as for crops this year.

When shipments were interrupted by the war, it was estimated that there was enough Potash on hand in the United States to provide two and three per cent Potash in mixed fertilizers for this spring's trade. Some manufacturers had more to enough for these percentages.

Since then minor sources of Potash have been fully utilized, and additional shipments from the usual source are still being received.

The supply is below normal, but this need not prevent farmers securing some Potash in their fertilizers, nor should it lead farmers to decide not to use fertilizers.

There is no reason to return to the out-of-date goods without Potash, although some authorities may try to "wish" them on us.

We have not used enough Potash in the past. The largest annual import of Potash was only one-seventieth of the Potash taken from the soil by our 1914 corn crop and only one-fifteenth of the Potash lost every year in drainage water.

Spring crops use from two to ten times as much Potash as Phosphoric Acid. Get as much Potash in the fertilizer as possible. A few firms are offering to furnish from four to ten per cent.

There is no substitute for Potash. It may be harder to get just now, but POTASH PAYS.

GERMAN KALI WORKS, Inc., 42 Broadway, New York

Chicago, McCormick Block
San Francisco, 25 California St.
Atlanta, Empire Bldg.
New Orleans, Whitney Central Bank Bldg.

## CORNELL POULTRY

A few cockerel pullets and mature breeding hens will be offered for sale for October and November delivery.

Breeding Stock: A good supply of Single Comb White Leghorn breeders is available and poultrymen should let us know their needs. A few good breeders of the following varieties may also be furnished: Barred, White and Buff Plymouth Rocks, Rhode Island Reds, Mottled Anconas, Pekin, Rouen and Indian Runner Ducks and Toulouse Geese.

Four Good Records by S. C. White Leghorns

|                  | Eggs laid 1st year | Eggs laid 2d year | Eggs laid 3d year | Total Eggs laid 3 years- |  |
|------------------|--------------------|-------------------|-------------------|--------------------------|--|
| Lady Cornell     | 257                | 200               | 191               | 648                      |  |
| Madam Cornell    | 245                | 131<br>186        | 136               | 539                      |  |
| Cornell Surprise | 180                | 186               | 196               | 562                      |  |
| Cornell Supreme  | 242                | 198               | 220               | 660                      |  |

Market Eggs, Poulty, Feathers, etc. are always available at the Sales Room,

DEPARTMENT OF POULTRY HUSBANDRY New York State College of Agriculture, Ithaca, N. Y.

In writing to advertisers please mention The Cornell Countryman

# CHR. HANSEN'S Danish Butter Color and Lactic Ferment Culture

**Won First and Second Prizes** 

at the following shows:

National Dairy Show, Chicago, Ill. International Dairy Show, Milwaukee, Wis. Dairy Cattle Congress, Waterloo, Iowa.

## Use Chr. Hansen's

Rennet Extract

Cheese Color

Rennet Tablets and Cheese Color Tablets

## CHR. HANSEN'S LABORATORY

LITTLE FALLS, N. Y. Box 1095

Established 1824

## **KELLOGGS & MILLER**

Amsterdam, N. Y.

Manufacturers of

# Pure (OLD PROCESS) Oil Meal

We use only the best grade of Flaxseed and our products are free from admixtures of any kind. Our oil-cake meal is very high in protein. Wonderful results are realized from its use as a feeding commodity

Write for Prices

## Successful Poultry Keeping Continued from page 495

A vital factor in making a plant pay, is culling out drones, and keeping down feed bills.

The method I use is: In spring all broody hens are put in a colony house, and shipped to market alive as soon as I have enough to fill a crate. As it takes about a month to get broody hens laying, and then the chances are they will get broody after laying a few eggs, it is more profitable to sell at once, saving labor and feed. By this method, broody hens are never used as breeders.

After the high spring egg production on large commercial plants, a number of hens stop laying.

About the first week in June I go over all pens taking out all non-producers. These are shipped to market alive, at once.

For example—on June 1st we had 1962 hens; egg production 920; culled out 549 hens, (practically all before June 15th). July 1st hens 1413; egg production 906. By this method the feed bills follow production, and drones are sold early while prices are high.

This culling is repeated in July, August and September. In October they are gone over for molting and weight. The final selection being made in November.

We do not use for our own breeders any hen that does not weigh 4 lbs. or over, or starts to molt before October selection. These heavy, late molting hens are mated to 5 lb. or heavier cockerels of known parentage. These are from 12 hens that did not molt until after November 1st, and weighed 4½ lbs. (or more) and a strong, vigorous 5 lb. cockerel. This spring I will use a 5¾ lb. cockerel from the above mating to 12 special hens, for next year's cockerels.

With efficient management and care poultry can be made one of the best, if not the best paying branch of agriculture.

# Seeds with a Lineage



Unequalled original "stock," improved by seventy-five years of most careful cultivation and selection, make Carters Tested Seeds the "Seeds with a Lineage."

CARTERS TESTED SEED include grass, flower and vegetable seeds of every desirable variety. Used rightly, they will give your grounds the same rich beauty that distinguishes the notable Gardens and Estates of Old England. Ask any gardener with experience in Great Britain. He will tell you that Carters Seeds are unequalled.

Write for our 1915 catalogue—"Garden and Lawn."

# Carters Tested Seeds, Inc.

130 Chamber of Commerce Bldg., BOSTON, MASS.



Branch of JAMES CARTER & CO.
Raynes Park, LONDON, ENGLAND

## FOR SALE

### A PRIZE, MONEY-MAKING FRUIT, GRAIN AND STOCK FARM - - - 150 ACRES

In a superb location, and part of the celebrated John Johnston Farm near Geneva, N. Y., where the first tile-draining in America was done. Good and ample buildings, woven wire fences, five feet high, on cedar posts, set in cement; tile drained, rural free delivery as d telephone; is within three miles of Geneva and four of Waterloo, with State road most of the way to each. view of Seneca Lake, Geneva and rich surrounding country. Geneva is a thriving and beautiful city on Seneca Lake and the home of Hobart College, Smith College and New York State Agricultural Experiment Station, with excellent schools and and New York State Agricultural Experiment Station, with excellent schools and best markets. Loading switch on Lehigh Valley R. R., three quarters of a mile distant. The very best of land, in splendid condition, having been the home of herds of cattle, colts, hogs and sheep for 80 years. Present owner has grown 44 bushels of wheat to the acre, also finest clover, timothy, alfalfa, potatoes, barley, oats, corn, peas and beans. Canning factories at Geneva and Waterloo consume immense quantities of beans, peas, sweet corn, squash, pumpkins, apples, pears, cherries and plums. Waterloo Geneva trolley within one and one half miles cherries and plums. Waterloo-Geneva trolley within one and one-half miles. Quick night and day service by New York Central or Lehigh Valley R. R. to Albany, New York, Buffalo, Toronto, Boston, Philadelphia, Baltimore and Washington This farm is on highway, Geneva to Ithaca, which will probably soon be a State road. Present owner expects to occupy the adjoining farm, and would gladly be of any assistance to purchaser. For price, terms, etc., address owner

C. R. MELLEN

R. F. D., No. 5

GENEVA, N. Y.



Where you saw it will help you, them and us.

## Former Student Notes

Continued from page 508

The chief business of the farms is to furnish pure White Leghorn eggs for the fancy New York City trade. This plant is still in its infancy, and will be increased as fast as the business will warrant.

'10, Sp.—In June, 1910, Miss M. V. Laudmann took up the management of the farm at the reform school for girls at Darlington, Pa., and has since been engaged in that work.

This school is a community of five hundred people, the girls performing all farm and garden operations, except the heavy team work.

'10, W.P.C.—A. T. Moir was instructor in incubation and brooding under Professor Rice during a period from February 2, 1909, to March 1st, 1910. Since then he has been working in the Service Department of the Hall Mammoth Incubator Co. of Little Falls, N. Y. He is employed as a travelling expert; going from plant to plant to assist poultrymen in solving incubator and brooding troubles. His address is 49 Birch Street, Manchester, N. H.


'10-'11, W.P.-L. B. Carpenter is the proprietor of the Oak Knoll Poultry Farm, which is located at

Pittsford. N. Y. He has been in the poultry business for four years. At Oak Kno11 large S. C. White Leghorns are bred for the heavy produclarge uniform white eggs. The same method of selecting breeders as is used at the College is employed, and Cornell balanced rations, are used.

'10-11, W.P. C.—Miss Clara M. Chase sends us an account of her poultry plant at Gates, N. Y. Gates is located two miles from Rochester. She is on a 63 acre farm belonging to her father. After taking the Winter Course she started in with White Leghorns, purchasing eggs from Professor C. A. Rogers of Bergen, who has the Cornell strain. From those

Continued on page 516





Upper—Clara M. Chase, W.P., 1910-11, Gates, N. Y., a successful poultry woman. Lower—The birds on this farm show exceedingly high constitutional vigor.



Guaranteed Analysis: 25 per cent Protein, 7 per cent Fat, 9 per cent Fiber, 50 per cent Carbohydrates.

Composition: Eagle Distillers' Dried Grains, Choice Cottonseed Meal, Old Process Linseed Oil Meal, Winter Wheat Bran and Middlings, Pure Hominy Feed, Malt Sprouts, ½ per cent Salt

Dewey's Ready Ration, when fed in connection with the home grown hay, straw, fodder, eusilage and roots forms a perfectly balanced ration. It is complete grain ration for dairy cows. No other feed or grain need be fed with it.

## The Feed Question

The feed question is not or should not be one of price per ton, but of how much milk each dollar's worth of feed will produce. Dewey's Ready Ration is worth all it costs, because it is scientifically blended from the highest grade feeds to produce for you all the milk possible for each dollar that you pay. "The proof of the pudding is in the eating." Try Dewey's Ready Ration. Give it a chance to convince yon.

The Dewey Bros. Co. Box 597 Blanchester, Ohio

## Craine 3-WALL Silo

Neither heat nor cold passes through walls. Inside—thick, vertical wooden staves. Next—water-proof felt, like rubber roofing. Outside wall—the Craine-Lox Cypress siding, continuous and over-lapping. Airtight and frost-proof. No iron hoops to adjust. Improved ladder and door. A scientific sito, pleasing to the eye, backed by 13 years of success. We give

## A GUARANTEE

that absolutely insures you as to material, length of service, strength of construction, stability against winds, etc.

Write for booklet and proof of this genuine silage insurance. A Craine Silo factory near every stock section makes the cost low. Let us give you the address of the nearest Craine Silo factory. W. L. SCOTT LUMBER CD., Nerwick, N.Y. 27-37 Mais St.

FACTORIES EVERYWHERE

### FORMER STUDENTS

-subscribe to-

# The Cornell Countryman

Former Student Notes
Continued from page 515

eggs about 200 pullets were raised the first year. Each year the numbers have been increased until now there are 500 pullets and at least 600 hens for brooders. These are kept in two laying houses, one 20 ft. by 80 ft. of four pens; the other 20 ft. by 110 ft. having five pens and a 10 by 20 ft. feed room. Both these are the Cornell type of laying house and have threequarter partitions. Instead of using curtains, the horizontal muslin window of each pen is hinged at the bottom, and this can be let down entirely or put back any distance, but is never entirely closed. This arrangement is found very satisfactory.


The day-old chick business and custom hatching are both profitable, the former being very profitable up until the middle of June.

'11, B.S.A.—Frank Hahnel, after hunting around the West for two years for a suitable location has decided that New York is the best place for him and is now getting into shape a 180 acre general farm near Yale, N. Y. His address is Romulus, N. Y., R. F. D. 2.

'12, Sp.—G. Lester Smith is a salesman for the Rex Company, which makes arsenate of lead. During the summer he looks after three fruit farms near Geneva.

'12, B.S.—Don E. Ward is with the U. S. Dept. of Agriculture, engaged in Field Investigations in Pomology for the Bureau of Plant Industry. The following is a summary of his career since June, 1912. In the summer of 1912 he entered the Department of Agriculture as a Scientific Assistant, the work consisting chiefly of investigation and study of grape growing in the north-eastern states and the study of varieties and different methods of pruning, cultivation, and fertilization of grapes in the Ex-

Continued on page 518




Wt. 700 Lbs.-\$125.00 complete

Let us send you full description of this light Draft Orchard Harrow, A tool that will cultivate 15 to 25 acres per day. Invaluable in the orchard and a money saver for general farm work. If your time is money this tool means good dollars to you. Send for full desscription and testimonials.

## Don't Buy a POWER SPRAYER

until you see ours. Send for our complete catalogue of Hand and Power Sprayers

Our outfits are complete, ready to run. No extras to buy.










Pruning Saw

Just a few of hundreds of tools for the Fruit Grower. Send for Catalogue No. 42, which shows them all. Plainly priced.

Rochester, N. Y.



### A Permanent Silo Is Better Than Permanent Pasturage

Yes, recent Experiment Station tests have proven that on medium or high-priced lands, silage-feeding pays better han pasturing on blue grass. But the silo must be durable—it must not entail expense for repairs, for painting and adjusting. Such is the Natco Imperishable Silo—it will defy storms, decay, fire and vermin. It will last for generations. Thousands of owners have found that the

## Natco Imperishable Silo

"The Silo That Lasts for Generations"

measures up to every requirement of the perfect silo. It is durable, convenient, keeps ensilage sweet and succulent in all parts, is free from upkeep expenses, and is attractive. A list of Natoo owners in your State will be sent on "equest. Learn from them that durability means economy, beside. I freedom from worry and fear of actual collapse. The Natco is built of vitrified hollow clay tile which will endure forever, and being air, moisture and frost-proof, preserve the ensilage perfectly. Steel reinforcing bands, laid in the mortar between each tier of tile, resist all pressure from within or without. Write our nearest branch for Catalog 38

## National Fire Proofing Company Organized 1889 Pittsburgh, Pa.

Philadelphia, Pa. Huntington, Ind.



## Where do they get their Feathers? Their Bone? Flesh?

These have to develop from one source—their feed.

H-O Steam-Cooked Chick Feed is made of clean, sweet grains, including cut oat meal, scientifically mixed to give chicks just the food they need for rapid development.

## H-O Steam-Cooked Chick Feed

Write for free sample, prices and descriptive folder

The H-O Company Mills, BUFFALO, N. Y. J. J. Campbell General Sales Agent Hartford, Conn.

## THIS BRAND HAS ESTABLISHED A NEW STANDARD FOR



PURE BEEF CRACKLINGS

# BEEF

THE FLAVELL CO.

ASBURY PARK, N. J.

## Former Student Notes

Continued from page 516

periment Vineyard at Vineland, N. J. About a year ago he was transferred to the Office of Fruit Identification where he has been to the present.

In that office a complete record of all varieties of fruit, together with descriptions and paintings of the same are kept. In some cases, as with the peach, plum and cherry, a collection of the pits of the different varieties are kept on file for use in identifying these varieties. Fruit is received in this office from all parts of the United States for identification and naming, as well as new varieties for testing and recording, if worthy of propagation. More apples are received for identification than of any other fruit.

'13, B.S.—Kenneth R. Boynton's address is Care Bronx Park Botanical Garden, New York City.

'13, B.S.—E. C. Crippen is running his father's 160 acre farm at Brockport, N. Y. He harvested a good crop of Baldwin Apples this year.

'13, B.S.-O. U. Schaeffer attended the 1913 Summer Session, served as principle of a Boys' Agricultural School at South Lee, Mass., for six weeks, then travelled through the Middle West for three months studying agricultural conditions.

During the spring of 1914, he was connected with one of the largest nurseries around Rochester, N. Y., gaining some very valuable exper-

ience in that business.

During the past summer he was engaged in trimming fruit and ornamental trees, spraying, and tree sur-

gery in Rochester.

He was married to Miss Pearle Siems, of Albion, N. Y., on August 5, 1914. At present he is engaged in the poultry business and the growing of small fruits and vegetables near Albion, Orleans County, N. Y.

'12-'13, W.P.C.—W. J. Buss, of the Agricultural Experiment Station Continued on page 520

Where you saw it will help you, them and us.

Light your house and Barns

## Cook your meals with HOME-MADE ACETYLENE

and make your acetylene with a

### PILOT LIGHTING PLANT

PILOT plants make Acetylene automatically a little at a time as you use it in your gas cooking stove and in your lights distributed throughout your house, your barns and out-buildings. You simply fill the generator with the gas-producing stone." Union Carbide" and water about once a month.

month.

PILOT plants are approved by the National Board of Fire Insurance Underwriters.

All told, over 250.000 country homes are using Acetylene made the PILOT way.

A complete PILOT plant, consisting of generator, pipes—handsome light fixtures, and gas cook stove, can be installed in any country home in a few day's time.

Such a plant is a permanent improvement and

Such a plant is a permanent improvement and will furnish you with the cheapest, safest and most practical light and fuel now available for

country home requirements.

Write for our advertising catalogs and descriptive booklets giving all the facts.



Eastern Works, Newark, N. J.

646 Frelinghuysen Ave.

For lightening clay soils and sweetening sour ones, for increasing the vigor and brightness of grass, for decreasing the growth of weeds

100% pass 25 mesh screen
95% " 50 " "
90% 100 " " No acic soils will not produce
A clover sod that's fine,
So if I have a sour soil
I use MEDINA LIME.

8. V. A. Ex Sta. Analysis—Cal. Carb. 53.75, Mag. Carb. 45.50, Total Carb. 99.25
As you see, 100 lbs. of our Lime is equal to 105 lbs. of any pure Cal. Carb. for neutrallizing soil acidity.

So If You Don't Buy From Us We Both Lose
Why not use the highest test and the finest ground? Sold in paper bags both far and near. Price, \$2.50 per ton, f.o.b., Medina, N. Y.

What Prominent Authorities Say: "Raw ground limestone mixed with stable manure, is a perfect fertilizer." Why, then, do you pay from four to seven times the price for other kinds of fertilizers? Our raw ground limestone means economy.

Send your order today, to the

MEDINA LIME COMPANY, Medina, N. Y.
EDWARD SIMPSON, PRESIDENT

In writing to advertisers please mention The Cornell Countryman

Meridale
Jerseys

Three Meridale heifers have recently been purchased by Professor Wing for the College Herd. It will pay you to look them over. They are daughters of Gertrude's Jap 93947 out of daughters of Sayda's Heir 3d 74817, combining the blood of two prominent Meridale families.

At the Meridale Farms emphasis is placed upon production, while correct dairy type is a characteristic of each of the four families represented.

The average yield of 135 tested cows last year was 7892 lbs. milk, 512 lbs. butter per cow, which indicates the high producing ability of the herd.

Booklets on request.

Ayer & McKinney
300 Chestnut St. PHILADELPHIA, PA.



## THE BALL SEED AND PLANT FORCER

Enables you to set out your plants two to three weeks ahead of the other fellow. The same thing can be done with all kinds of seeds and plants. We have a special Forcer for

CANTALOUPE GROWERS

that is a gold mine to the man who grows for the early market. Cheap enough to use 'em by the thousand.

### **CUCUMBERS---MELONS**

and any kind of vegetables can be matured two to three weeks earlier than by any other method Take the hint—it's the early crops

method Take the hint—it's the early crops that bring in the money.

Send for my big 40 page catalog beautifully illustrated with pictures and letters from the leading Agricultural Experiment Stations as well as customers who have tested and proved beyond a doubt that there is a new rest in store for the wedness grower who new era in store for the produce grower who realizes the importance of being first fiddler on the early market. Write now; delay means lost opportunity. Costs you nothing but one cent on a post card, and it may mean the dif-ference between loss and profit this coming

The Ball Mfg. Co., Dept. G. Glenside, Pa.

## Former Student Notes

Continued from page 518

at Wooster, Ohio, gives the following account of himself and a description

of his poultry plant.

"Since leaving Cornell in February, 1913, I have been in charge of experimental work with poultry at the Ohio Agricultural Experiment Station. Very interesting results in comparison of range and confinement for laying hens were secured during the past year. Two lots of 57 S. C. White Leghorn pullets each, fed and housed alike, one lot having access to a well sodded plot of bluegrass, while the other was confined to a very small bare lot, were used in this experiment during the past year. The pullets on range averaged 182 eggs each, while those in confinement averaged 139.

During the past summer, Mr. F. K. Shibley and I purchased a 30 acre tract of land situated on the electric line 6 miles north of Wooster. This is to be developed into a commercial egg farm. The farm is ideally located for this purpose. The egg cellar is only 50 feet from loading platform on the electric railway. The farm is only 2 hours ride from Cleveland, where eggs will be marketed. A siding 200 feet from the feed room, is used for unloading grains, straw, etc. electric motor is used to supply power for grinding feed. Current for operating motor is secured from the railway company at very reasonable rates. The cost is about 12 cents for grinding 100 bushels of corn.

We have at present 1,800 S. C. White Leghorns, which we hope to

increase to 6,000.

Two laying houses, 24 x 108, 4 brooder houses 14 x 28 and an incubator cellar 24 x 32 with feed room above, have been erected. Two 3,000 egg incubators have been installed. Coal burning brooder stoves will be used for brooding chicks. Our farm is known as the "Everfresh Egg Farm."

## FRASER'S TREES

## Are Cheapest

because

## They are BEST

¶ You pay more for certified milk than for dipped milk and it is worth it. There is more value in it; more work has been put into producing it, and even at a higher price you get value received.

¶ So it is with Fruit Trees. I put extra care into the cultivation of my trees; I bud from parent trees that I know are true to name, and productive sorts. I give the greatest value for one dollar that you can get.

### Write for Fraser's Tree Book

Send a postal now. It is free. Whether you want one tree or are planning to set an orchard write me or come and see me.

## SAMUEL FRASER

Fruitgrower and Nurseryman

GENESEO, N. Y. 96 Main Street

## **WELL ROTTED** HORSE MANURE

DRIED and GROUND

(Diamond Brand Compost)

A natural manure for the use of Truck Growers, Farmers and General Farming Purposes.

It is largely **Humus** and rich in Plant Foods Nitrogen, Phosphoric Acid and Potash— which are immediately available.

Positively free from weed seeds.

It will please the most critical grower and insure good results.

Put up in bags of 100 lbs. each.

Write for Circular "R" and prices

## New York Stable Manure Co.

273 Washington Street Jersey City, N.J.

# BROTHERS Nurseries

New Brighton, N. Y.



Founders of

## THE NEW ROCHESTER PEACH

Trees of all kinds for the Fruit Grower

Write for Catalogue

## The Jerseys ARE NOT SHORT-LIVED

In 1:13 eighteen Jersey cows were officially tested which averaged 12 years and 7 months of age. Average milk production 86:7 lbs. Average butter fat 387 lbs. Longevity, Con-stitution and Economic Production are Jersey characteristics.

The American Jersey Cattle Club 324 W. 23d St. New York City

## BOOK BINDERY

Blank books ruled and bound to order Have your COUNTRYMAN bound We bind theses, notes, etc.

J. Will Tree's 113 N. Tioga St.

### THE THREE LEADING INSECTICIDES

## Hemingway's "London Purple"

the general insecticide

## **Hemingway's Lead Arsenate**

for your fruit trees

## Hemingway's "Caascu"


the combined insecticide and fungicide for your potatoes and truck crops

High analysis perfect miscibility, longest in suspension and above all do the work thoroughly and always give satisfactory results.

> For booklet and prices write to

HEMINGWAY & COMPANY, Inc. Bound Brook, N. J.

In writing to advertisers please mention The Cornell Countryman



Are You Producing High Grade MIL K?

If so, why not use a SIMPLICITY MILKER which allows no air to come

in contact with the milk which makes the Bacteria count very low?

All parts of the Milker, including all the rubber can be sterilized with steam which does away with the use of brine solution. Why not use a Simplicity Milker and do away with so many parts to wash and keep in repair? Which color cap are you going to have on your milk bottles? Write and find out the cleanest and cheapest way to have the best cap on your bottles.

We have both the single and double Milkers.

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

F Groff & Son

St. Johnsville, N. Y.



Purebred Registered

## HOLSTEIN CATTLE

The increased recognition of the value of purebred registered Holstein Cattle is shown in the number of certificates of registration and transfer issued by this association last year as compared with the previous year. The increase is over 21 1/2 per cent., while the gain over 1912 is 364 per cent. The fact that no other dairy breed association approaches the number of certificates we have issued, should certainly be significant to you if you have been "on the fence" wondering whether or not you should by Holsteins.

Send for FREE Illustrated Descriptive Booklets

HOLSTEIN-FRIESIAN ASSOCIATION of America Box 196 Brattleboro, Vt.



## It's Easier, Cleaner, Quicker

-for one man to milk 20 or more cows with a B-L-K Milker than it is for two men to do the same number by hand.

Ordinary farm hands, too, can produce certified milk in ordinary stables by exercising reasonable care in handling the easily cleaned machines.

## **B-L-K** Milkers

cut cost and labor of milking in two

If you are interested in producing high-grade milk, and greater profits, then write us. Send a postal for B-L-K Booklet.

Illustrated and full of information

If, when writing for the booklet, you will send us a rough plan of your barn and tell us the number of cows you want to milk, and state what power you intend using, we will tell you about what a B-I<sub>C</sub>K Outfit will cost you. But send for the booklet by all means.

## D. H. BURRELL & CO.

LITTLE FALLS, N. Y.

Manufacturers also of "Simplex" Link-Blade Cream Separators and other "Simplex" specialties.
"The Best in the World."

## MILK PROTECTION

So thorough are the cleaning properties of





in every package

that it cleans far beyond what the eye can see, removing thousands, yes millions of bacteria, the destroyers of the food value of milk and milk products.


This protection to the milk means cleaner milk, higher quality milk, and better milk products, and consequently better prices throughout.

For the convenience of dairymen, milk dealers, butter and cheese makers, Wyandotte Dairyman's Cleaner and Cleanser is sold by practically all Dairy Supply Houses. If your dealer cannot supply you write your regular supply man.

## The J. B. Ford Co., MFGRS. Wyandotte, Mich.

This Cleaner has been awarded the highest prize wherever exhibited.

In writing to advertisers please mention The Cornell Countryman



How Can You Expect Fertile Hatching Eggs If You Don't Condition Your Poultry Now?

On the condition of your poultry right now depends the fertility of your hatching eggs and the health of your spring hatches. Start in at once to condition your flock. Get your hens in a healthy, thrifty condition, see that their dormant egg organs are toned up and kept active. If ever the poultry raiser is in need of eggs, it is surely right now. Under the most liberal guarantee ever put in print (read below) I want you to try

# Dr. Hess Poultry

Not a Stimulant, But a Tonic

In this scientific poultry preparation I have put every ingredient that my 26 years' experience as a veterinary scientist, doctor of medicine and successful poultry raiser tells me that poultry need to keep them well and make hens lay.

My Pan-a-ce-a will put stamina into your flock, will prevent cholera; it is also a splendid constitutional treatment for roup and is a sure cure for gapes, leg weakness, indigestion and the like. But, above all things else, I guarantee that it will make hens lay eggs. Now, here is my guarantee—read every word:

So sure am I that Dr. Hess Poultry Pan-a-ce-a will make your poultry healthy, make your hens lay, and help your chicks grow that I have told my dealer in your town to supply you with enough for your flock, and if It doesn't do as I say, return the empty packages and get your money back.

Sold only by reliable dealers whom you know-never peddled. 17 25c; 5 lbs. 80c; 25-lb. pail \$250; except in Canada and the far West.

Send for my free book that tells all about Dr. Hess Poultry Pan-a-ce-a.

DR. HESS & CLARK Ashland, Ohio

feed all winter. Makes stock healthy—expels worms—guaranteed. 25-lb. pail, \$1.60; 100-lb. sack, \$5.00; smaller packages as low as 50c; except in Canada, far West and the South.

West and the South.

Br. Hess Instant
Lonse Killer
Kills lice on poutry
and all farm stock.
Dust the hems and
chicks with fit, sprinkle
it on the roosts, in the
cracks or keep it in the
cracks or keep it in the
cracks or keep it in the
distribute it. Also
destroys bugs on cucumber, squash and
melon vines, cabbage
worms, etc., slugs on
rose bushes, etc.
Comes in handy sifting-top cans, ib 25c;
2 lbs. 90c.: except in
Cansada and the far
West. I guarantee it.

Where you saw it will help you, them and us.

Banker's Trial Collection

LET'S GET ACQUAINTED

100 Fruit Trees, Berry Bushes and Grape Vines - \$5.00

20 No. 1—2 yr. Apple Trees—4 Baldwins, 2 Bananas, 2 Northern Spy, 2 R. I. Greening, 2 Red Astrachan, 2 York Imp, 2 B. Ben Davis, 2 N. W. Greening, 2 Stark—10 Pear Trees, No. 1-2 yr.-2 Bartlett, 3 D. Anjon, 5 Keiffer—1 Medium Elberta Peach, 1 Medium size Ea. Crawford—1 No. 1-2 yr. Crab Apple—1 No. 1
2 yr. Burbank Plum—1 Medium size Montmorency Cherry—10 Grape Vines, 1 yr., 5 Concord, 5 Niagara—20 Blackberry—25 St. Regis Red Raspberry and 5 Perfection Currant.

This Offer Good only to April 1, 1915.

84 Page Catalogue Free

D. G. BANKER, Dansville, N. Y.

# Wing's SEEDS

For Field and Garden

Alfalfa Dakota Nebraska Siberian

Send for our catalogue describing all the new strains of Alfalfa, our own improved strains of Corn, Soy Beans, Vetch and Melilotus, and our Superior Garden and Flower Seeds.

The Wing Seed Co.

Dept. W

Mechanicsburg, Ohio



Spray Your Trees Early

Any time this winter and early spring when the temperature is not below 40° F. you can spray with "SCALECIDE" and kill the scale, eggs and larvae of insects wintering on trees as well as spores of fungi that can be reached by a winter spray. Prepare now for a good fruit crop next season.

# "SCALECIDE"

TRADE MARK REG. U. S. PAT. OFFICE
will absolutely destroy San Jose and Cottony Maple Scale, Pear Paylla, Leaf Roller, etc., without
injury to the trees. It costs less to spray an orchard with "Scalecide" than with Lime-Sulfur—
and you secure better results. We back up this claim. Write today for free booklets—
"Proof of the Pudding" and "Spraying Simplified".
Write to our Service Department for orchard supplies at money-saving prices.

We are World Distributors for Vreeland's "ELECTRO" Spray Chemicals

and "Electro" Arsenate of Lead Powder (3%) which, used wet or dry, has no equal in strength or texture. Avoid imitations. B, G. PRATT CO., Dept. A 50 Church Street, New York City.

## Dixie Brand Cotton Seed Meal

THE CHEAPEST SOURCE OF PROTEIN FOR DAIRY COWS

**HUMPHREYS-GODWIN CO.** 

Memphis, Tenn.

# MALONEY Guaranteed TREES



## An Advertisement to Live Fruit Men



Maloney Trees are guaranteed true to name and free from diseases by the largest nursery growers in New York State—For 30 years we have been in business here in Dansville and today we are able to ship you direct better trees than ever before because we are constantly studying to improve our methods—we recognize our responsibility to the fruit grower and we have this year issued a novel wholesale catalogue that tells the things you ought to know about our business. Write for your free copy. No order is too big or too small for us to handle personally. We're responsible, look up our ratings. Dansville's Pioneer Wholesale Nurseries.

MALONEY BROS. & WELLS

18 Main St.

DANSVILLE, N. Y.

CHICAGO

PREVENTS SCOURING INSURES EARLY MATURITY

RAISE THE CALVES ON

## BLATCHFORD'S CALF MEAI

AND SELL THE MILK
Endersed by Agricultural Experience Stations and Superando
of Farmors. Handletowing to retemble one wilk as
everly as possible in chemical composition.

SEMP FOR TEXTHERMILES

J. W. BARWELL

WAUKEGAN, ILL.

2 oz. Dose Syringe Dehorners, \$6,50 to 14.00 postpaid \$ 1.00 Impregnators, \$2.50-6.00 Per ½doz. \$4.50, doz. 8.00 Capon Sets, \$1.50 to 3.50

\$4.50, dos. 8.00 Capon Sets, \$1.50 to 3.5
Write for illustrated catalogue
and special cash prices

## Haussmann & Dunn

Buy from the Manufacturers—High Grade Veterinery Surgical Instruments

Text Books and Supplies 708 South Clark St.

Where you saw it will help you, them and us.

### 700,000 Fresh Dug Fruit Trees at Wholesale Prices

Apple, Plum, Pear, Cherry, Peach and Quince, one and two year old, guaranteed true to name, Genesee Valley grown, direct from nursery to planter.

What a former Cornell boy has to say about my trees

Forest Lawn, N. Y., Oct. 5, 1914.

F. W. Wells, Dansville, N. Y.

Dear Sir—I wish to thank you for the courtesies extended to us during our recent visit to Dansville. After a most thorough inspection of your nursery stock I wish to state that we were especially pleased with the wonderful growth made by your stock and cleanliness being free from scale, insects and fungii. The growth made by apple, peach and cherry stock is the greatest and sturdiest I have ever seen. Our inspection of your stock was simply one of many; however, as the result of our visit, we enclose our order for 1000 apple trees as named. Yours truly,

EWELL D. BAKER.

Forest Lawn, N. Y., Oct. 29, 1914

F. W. Wells, Dansville, N. Y.

Dear Sir—Nursery stock arrived some time past and all planted. Please accept thanks for your usual efficient service, also at this time we again wish to compliment you upon your stock. We repeat our expression in our former letter and enclose an order for spring for 600 Apple trees. Wishing you merited success, I am, EWELL D. BAKER.

DO NOT BUY from any one at any price until you write for my FREE ILLUSTRATED CATALOG

### F. W. Wells Wholesale Nurseries

200 Treeacres Road, DANSVILLE, N. Y.

<u>් අත්තූත්තුන් නික්තීත්ත්ත්ත්ත්ත්ත්ත්ත්ත</u>



Extra Size Apple Trees 6 to 7 feet high. Reduced

<u>9292929292929292929292929292</u>

### FRUIT GROWERS!

We carry a wide line of

Fruit Packages Baskets Crates, Etc.

COLES & CO. \* 115 Warren St. NEW YORK

2525252552525252525252525252525252525 In writing to advertisers please mention The Cornell Countryman

| Fruit,         | Stock and G  | en  | eral   |
|----------------|--|-----|--------|
| Farms          | Acreage Pr   | op  | erty   |
|                | No. of Concession, Name of |     |        |
| In CC          | LUMBIA,  |     |        |
|                | NSSELAER and   |     |        |
|                | GREENE COUN  | TII | ES     |
|                |  |     |        |
|                |  |     |        |
|                | vith Cottage & Bro   |     |        |
|                | ome in the Hills   |     | 2,200  |
|                | with House & Bar   |     | 40     |
|                | entleman's Farm  |     | 5,000  |
| 45 acres, Huds | bearing fruit, on  |     | 10,000 |
|                | Excellent Farm   |     |        |
|                | Iudson River Esta  |     |        |
|                |  | ,   | -3.3   |
| _              |  | _   |        |
| Rui            | ral Life   | C   | 0.     |
|                |  |     |        |
| K              | inderhook, N.  | Y.  |        |
|                |  |     |        |

## **New York State Ideal Farms**


In a healthful locality; offering the advantages of practical farm land within two hours of our greatest city, with assured value enhancement; acknowledged fruit land and entrancing natural country

Prices range from ten to one hundred dollars per acre, with liberal terms. Among my patrons are several former Cornell students.

### Edgar L. Hoag

233 Broadway

N. Y. City





Gun shown above is a No. 4, 20 gauge with 26 inch barrels -- the ideal gentleman's gun for field shooting.

You can throw it into a suit case along with your shootingtogs and leave your gun case at home.

We furnish the 20 gauge in all grades hammerless, weighing from 51/4 to 53/4 pounds and selling from \$19.00 up.

The decreased weight of the 20 gauge allows you to travel farther, finish fresher, get into action quicker, kill your game nearer to you and come home feeling as frisky as a kitten.

The speed of our lock was scientifically timed at the University or Cornell and it was found that it took only 1 625 of a second for hammer to fall.

At the time hammer struck it was traveling at the rate of 233 inches per second.

We figure this greased lightning speed will increase your score at trap or kills in the field at least 5 per cent.

Beautiful catalog FREE; 18 grades guns, \$17.75 net to \$400 list.

ITHACA GUN COMPANY, BOX 123, ITHACA, N. Y.



A GRICULTURAL BOOKS CARRIED FOR READY DELIVERY BY

The Corner Bookstores

ITHACA, N. Y.

Send for one of our Selected Lists

# CONLON——Photographer

HIGH-GRADE WORK ONLY

Opposite Tompkins Co. Bank

Bell Phone 173-W



### BARBER SHOP

Sharp & Kelsey, Props.

407 College Ave.

Opp. Georgia's Dog.

### Freshmen!

The best place to get your barber work done is at

### The Ithaca Hotel Barber Shop

F. S. ESCHENBURG

### NORWOOD LAUNDRY CO.

High Grade Laundry Work Good Work-Prompt Delivery

107 NORTH ALBANY ST.

Our New
Spring and Summer
SUITINGS are here

Let us make you a suit of clothes that is RIGHT in style, fit and workmanship also CHEAPER than any where else.

We guarantee every suit that we turn out.

Order now—you can have it delivered when you want it.

The—
University Haberdashery
320-22 College Avenue

J. J. GAINEY, Prop.

Cleaning and Pressing Contracts of our old reliable standard

Ithaca Phone-510

### H. J. Bool Co.

20,20,20

### House Furnishers

and Manufacturers of

### **Special Furniture**

30,30,30

PICTURE FRAMING a Specialty

**Everything for the Student's Room** 

30,30,30

Factory Forest Home

Store 130 E. State St.



### SOMETHING NEW

The H. C. Cable Colored Photographs of Local Views

An Excellent Gift for any occasion In Three Sizes

The H. C. Cable Art Store
405 COLLEGE AVE. "A Christmas Suggestion"

Why Don't You Join the Big Army? of Satisfied Customers and have Your Clothes Cleaned by the NEW PROCESS. IT CLEANS CLEAN.

Modern Dry Cleaning and Pressing Works

W. F. FLETCHER CO., Inc.

103 Dryden Road

"Who Light the Way to Good Cleaning."

The Waldorf

\$4.50 Meal Tickets for \$4.00

R. S. WEAVER

Special Sunday Dinner

319 EDDY STREET

The Modern Method Laundry

JOHN REAMER, Prop.

We keep a line of diamonds and jewelry and do all kinds of repairing neatly at ::: ::: :::

Heggie's Jewelry Store

136 East State Street

KOHM & BRUNNE

THE LATEST STYLES AT MODERATE PRICES

**TAILORS** 

222 East State Street

### Be sure to get a copy of the new Co-op. Agricultural Book List.

Each Fall we get out a new edition which includes the best new books and drop out the books which are no longer considered the best. You should have copy for reference anyway. By reading books you gain the experience of others. You will want Post Cards of the Campus too, so go to the Co-op. in Morrill Hall.

# Students Trade at the Co-op.

Most of the students buy their books at the Co-op. because we are prepared for them with a complete stock. We have extra help at the opening of the term. Good service to students is our plan.

# THE CO-OP

is in Morrill Hall On the Campus

# NEW YORK STATE COLLEGE of AGRICULTURE at CORNELL UNIVERSITY

### ITHACA, NEW YORK

B. T. GALLOWAY, Dean

#### The College offers courses in:

Agricultural Chemistry Farm Management Pomology Animal Husbandry Floriculture Poultry Botany Forestry Rural Economy Dairy Industry Home Economics Rural Education Drawing Landscape Art Rural Engineering Entomology Plant Breeding Soil Technology Farm Crops Plant Pathology Vegetable Gardening

- ¶ It confers the degree of B.S. for four years' regular college work.
- ¶ Short courses are offered each year during the winter for those who are unable to take a full four years' course. A summer school is also conducted
- In its extension work, the College aims to reach the entire agricultural population of the State, and will assist in forming farm associations and demonstration schools and will help in arranging and carrying out programs of work.
- ¶ Through enrollment in its reading courses for the farm and farm home, the farmer and his family may secure in their own homes the benefit of research of the college professors.
  - ¶ Information on any of the activities of the college will be furnished free upon application :: :: :: :: ::

IF vou are going to equip a barn this Spring with Hay Carriers and tracking, why not write and see what we have to offer you, if not a complete outfit, perhaps something that will add to the value of what you have or purpose installing.

J. A. CROSS HINGED EXTENSION CO.

Fultonville, N. Y.

We Do Your Mending Free

### Forest City Laundry

E. M. MERRILL

BAGS FREE

209 North Aurora St.

# COLLEGE GIRLS will find a Wide Variety of DRY GOODS at the TODD COMPANY

----120 EAST STATE STREET----

### PETER SCUSA, Modern Shoe Repairing


Shoes Called For and Delivered

405 EDDY ST.

Ithaca Phone 428-C

405 COLLEGE AVE.





### Pick Up a Few Pieces

of your broken Glasses and bring them to me, in less time than you think I'll grind new lenses, use your old mounting, adjust your glasses perfectly and you are ready to see clearly once more.

Whenever repairs on old glasses are necessary or new ones needed, call on

### WILSON OPTICAL CO.

Store 208 E. State St.

### STUDENT SUPPLY STORES

EDDY STREET

It's never too late. Try now!

Keep Your **Eves** Open See things as they are!

### STUDENT SUPPLY STORES

COLLEGE AVENUE

If you desire for your suit a good CLEANING AND PRESSING, also SUITS MADE TO ORDER at a reasonable price, or drill suits come to

### "RIETER," the Eddy St. Tailor

321 EDDY ST.

Ithaca Phone 421-C

### D. S. O'BRIEN

222 N. Aurora St.

**MARKETS** 

430 N. Cavuga St.

Dealer in Fresh, Salt and Smoked Meats Poultry and Game in Season

D. S. O'BRIEN

# Wise THE PRINTER

is at your service for all classes of

Fine Printing, Engraving, Etc.

Buffalo St.—Next to Post Office ITHACA, N. Y.

### Carr & Stoddard

High Class TAILORS

Note—If you desire a medium price suit anywhere from \$20 to \$30, we ask you to look this Special Department over.

Corner Seneca and Aurora Sts.

ON THE HILL

Ithaca Phone 76x

### The Palace Laundry

323 and 325 EDDY ST.

Fred C. Barnard, Propr.

### White & Burdick Co.


The Oldest and Largest Drug Store in the City.

Supplies for Agricultural Students a Specialty

### The ROBINSON STUDIO, Inc.

214-216 East State St.

Senior Class Photographers



"If you get it from us it's right."

### **Buttrick & Frawley**

One Price Clothiers and Furnishers

Society Brand, Hickey, Freeman & Michael-Stein Co.'s Clothing handled exclusively. Stetson Shoes, also shoes for rough wear. Mackinaws, Underwear, Sweaters, Etc. Largest and most complete stock in the County. We make suits to your measure.

134 East State Street

ITHACA, N. Y.

Established 1887

#### LARKIN BROS.

Retailing, Wholesaling, and Jobbing Grocers

JOHN LARKIN, Proprietor and Manager

403 College Ave., Ithaca, N. Y.

### ATWATER'S The Big Store with the Little Prices

Everything to Eat-From Soup to Nuts

Either Phone-996

COLONIAL BUILDING

# CADY'S EAST HILL MARKET

Handling the best in the City

Special Prices to Fraternities

Quality and Service Unexcelled

### BAXTER'S

### Clothing and Furnishings

have pleased hundreds of Cornell students during the last six years. Why? Because we sell only first class merchandise and guarantee every dollar's worth of it; we fit our clothing to please; our service is unexcelled, and last but not least, we sell One Price to All.

Please consider this ''shop'' ''Your Shop.'' You get your money's worth here.

E. B. BAXTER

One Price to All

The Quality Shop

Satisfaction guaranteed

150 E. State St. Ithaca, N.Y.

## **HERRON**

NEWEST SPRING STYLES
IN WEARABLE

138 E. State St.

Opp. Tompkins Co. Bank

SHOES

### LEHIGH VALLEY RAILROAD

The only line to and from Ithaca, Cornell University with through service between New York, Newark, Philadelphia, Buffalo, Niagara Falls and Chicago. Steel Trains; Observation Parlor Cars; Electric Lighted Sleeping Cars; Buffet-Library Smoking Cars; Dining Cars, Service a la Carte; Stone Ballast :: :: :: :: ::

Automatic Electric Block Signals COMFORT SAFETY

### Ithaca Hotel

ITHACA, N. Y.

European Plan

Nost Conveniently Located Thoroughly Modern

Splendid Cafe and Restraurant in connection

Music Evenings

¶ Reservations for Farmers' Week will have our prompt attention.

J. A. & J. H. CAUSER, Props.

### The Clinton House


A La Carte Service 6:15 A. M. to midnight

Special Luncheon 12 to 2 P. M. 50c.

Carte Du Jour 12 to 8 P.M.

After Theater Suppers a specialty

Music Every Evening



The "Short Line Limited" between Auburn and Ithaca

## New York State College of Agriculture at Cornell University

THE DEPARTMENT OF ANIMAL HUSBANDRY

**Breeds,** Percheron Horses, Holstein, Jersey, Guernsey, Ayrshire, Short Horn Cattle, Dorset, Shropshire, Rambouillet Sheep, Cheshire Swine.

Regular Public Sale of all Surplus Young Stock.

No Stock Except SWINE Sold at Private Sale

### DANIELS & COOK, Druggists

Corner College Ave. and Dryden Road

Established 1873

Incorporated 1905

### Go to JAMIESON-McKINNEY CO., Inc.

For Plumbing, Gas Fitting Steam and Water Heating, Gas, Steam and Water Supplies

121 South Cayuga Street

ITHACA, N. Y.

### Norton Printing Co.

317 East State St.

College, Fraternity and Commercial Printing




¶ Producers of Books, Magazines, Catalogs, Proceedings, or any kind of work that requires a large amount of machine type-setting. \*\* \*\* \*\*

# Pure Drugs Accurate Prescription Work Toilet Articles A. B. BROOKS & SON, Pharmacists

126 EAST STATE STREET





929292929292929292929292929292

# New York Life Insurance Company

C. H. WEBSTER, Agent

OFFICE: Student Supply Store RESIDENCE: 121 Catherine St.

**Both Phones** 

# Keeps All Stock Healthy

Time and again I have proved the value of Sal-Vet for all stock—Hogs, Sheep, Horses and Cattle. I will prove to you its value as a worm destroyer and stock conditioner. I don't want a penny down — simply feed Sal-Vet 60 days at my risk—then pay if I have made good my claims. I don't want a cent until you have fed Sal-Vet and seen with your own eyes what it will do for your stock—how it will

stock — how it will make them thrifty, sleek and healthy.

John C. Mills, Preston, Minn., Vice-Pres. Minnesota Cattle Breeders' Association, writes:

"We like your Sal-Vet very much, having used it for over a year with the best of results."

A. H. Nokes, Springfield, Ill., Treas. of the Holstein-Friesian Breeders' Association of Illinois, says:

"Will say that we like Sal-Vet fine. It is just the thing to keep stock in fine, thrifty condition. This has been our experience with it."

# The Great SALOVET The Great Live Stock Conditioner

—is not a feed, but a medicated salt that rids all farm animals of bloodsucking, disease-breeding worms—makes stock thrive faster, look better,
act better. Animals in healthy condition are much less liable to disease,
than when "worm-ridden" and run-down. Try Sal-Vet at my risk—let
me prove it's value on your stock.

### Send No Money—Just the Coupon

Tell me how many head of stock you have, and I'll ship you enough Sal-Vet to last your stock for 60 days. Simply pay the freight charges on arrival, feed as directed. At the end of 60 days report results. If Sal-Vet does not do all I claim, I'll cancel the charge—you won't owe me a penny.

SIDNEY R. FEIL, THE S. R. FEIL CO., Mfg. Chemists, Dept. CC Cleveland, O.



#### LOOK FOR THIS LABEL

on all SAL-VET Packages. Don't be deceived by imitations. Don't buy "Sal"

tations.

Don't buy "Sal" this or "Sal" that.

Get the original genuine SAL-VET.

### PRICES

40 pounds.....\$ 2.25
100 pounds.....\$ 5.00
200 pounds.....\$ 9.00
300 pounds.....\$ 13.00
600 pounds....\$ 23.12
ed for less than 40 lbs. on this
offer. Never sold by peddlers
mly in Trade-Marked SAL-VET

No orders filled for less than 40 lbs, on the 60 day trial offer. Never sold by peddler nor in bulk; only in Trade-Marked SAL-VE packages. Shipments for 60 days' trial at based on 1 lb. of SAL-VET for each shee or hog, and 4 lbs. for each horse or head cattle, as near as we can come without the second of the

Tells you in a very interesting manner the real way to dance the

## Fox Trot

The booklet, fully illustrated, may be secured Free from any Columbia dealer.

# 1 大水解水土

If you think you have danced to the best music your talking machine can produce, have your dealer play any of these records over to you.

#### **FOX TROTS**

- REUBEN FOX TROT. Albert and Monroe Jockers. Violin and Piano. Maurice Glide. One-Step. Albert and Monroe Jockers. Violin and Piano.
  - A5608 12 in., \$1.00
- A5618 OLD FOLKS RAG. Van Eps Banjo Orchestra. Valse Marie. Hesitation. Prince's Orchestra. 12 in., \$1.00

#### ONE-STEPS

WHEN IT'S NIGHT TIME DOWN IN BUR-GUNDY. Prince's Band. Love with a Capital L. (Je Sais que Vous Etes Jolie). Fox Trot. Prince's Band

#### A5607 12 in., \$1.00

#### **HESITATIONS**

MOONGLIDE WALTZ. Prince's Band.

### The Same Sort of Girl. From "The Girl From Utah." One-Step. Prince's Band.

#### A5606 12 in., \$1.00

AMELIA WALTZES. Albert and Monroe Jockers. Violin and Piano.

### A5609

The Mississippi Barbecue, One-Step. Albert and Monroe Jockers. Violin and Piano.

### 12 in., \$1.00

**GRAPHOPHONE COMPANY** 

Woolworth Building, New York

DEALERS EVERYWHERE

FOR SALE IN ITHACA BY

T E. DAVIS, 307 East State Street E. E. ALLEN, 138 West State Street DAYIS-BROWN ELECTRIC COMPANY 115 South Cayuga Street

# Christy Engraving Co.

WHERE QUALITY COUNTS

Halftones Illustrations Line Etchings
Designing and Embossing Plates



We are specialists in

.00

00

.00

.00

.00

# Color Plate Engraving and Color Printing

If you want to increase the selling power for your next catalogue, if you want to make your advertising as effective as possible, you should look into the question of using color reproductions. Our success lies, not alone in the making of proper plates but in printing them as they should be. Our product is used by companies of international reputation. We shall be pleased to submit estimates or samples of work.

611-18 Central Building Rochester N. Y.



BROODER HEATERS

DRINKING FOUNTAINS **BLOOD CANS HOPPERS** 

TRAP NESTS

POULTRY KNIVES All Poultry Appliances

### Treman, King & Co.

Recommended and used by the N. Y. State College of Agriculture

Write for Catalog and 1915 Special Price List

### "It Pays to Cook Poultry Feed"

So say the best agricultural authorities and experimental station men. Warm feed is necessary for the greatest production of eggs in winter and for the perfect health of your poultry. There are a hundred other uses for the

### "Farmers' Favorite Feed Cooker and Boiler "



It means 25 per cent more eggs and more milk. Just right for cooking feed for stock, heating water for cows—butchering of hogs, washings, etc., rendering lard and tallow, sterilizing utensils, boiling sap, etc. Any fuel. 6 sizes. Satisfaction guaranteed. Write for proofs of our claims.

### Do you know about the LEWIS PLOW TRUCK?

It will enable you to plow faster, easier and better. It's quickly attached to any style of a walking plow and transforms it into a sulky plow. Easier on the horses than a walking plow. All weight on wheels. Turns even furrows

TEN DAYS' FREE TRIAL-then if you will part with the "Winner" send it back and all money will be returned to you plus all freight charges. Special introductory offer to first buyer in every vicinity.

LEWIS MFG. CO.

76-92 Owego St.

Cortland, N. Y.

# **Union Seed and Fertilizer Company**

has purchased from THE AMERICAN COTTON OIL COMPANY the well-known brand


## "American Red Tag Cotton Seed Meal"

The Manufacture and sale of this brand will hereafter be exclusively by the

# Union Seed and Fertilizer Company

Below is shown a fac-simile of the Red Tag which will be attached to each bag of

"America n Red Tag Cotton Seed Meal"




Address all communications to

### **UNION SEED & FERTILIZER COMPANY**

27 BEAVER STREET

**NEW YORK** 



### Hickey' Lyceum Music Store

105-109 SOUTH CAYUGA ST.

Complete Stock of Victor-Victrolas and Records. Planos for Rent.

—EVERYTHING IN MUSIC—

### Pianos, Mandolins, Guitars, Banjos, Ukeleles, Violins Rented or Sold on Easy Payments. "Songs of Cornell." All

Rented or Sold on Easy Payments. "Songs of Cornell." All the Latest Music. Strings and Supplies for all instruments at lowest prices.

### LENTS MUSIC STORE

122 North Aurora St.

VICTOR TALKING MACHINES, RECORDS, ETC.

### THE TOMPKINS COUNTY NATIONAL BANK

135-137 East State Street Capital \$100,000

Established 1836 Surplus and Undivided Profits \$165.000

Safe Deposit Boxes for Rent

### THE FIRST NATIONAL BANK

Cornell Library Building

Capital, Surplus and Profits \$350,000

Oldest National Bank

Safe Deposit Boxes for Rent

### ITHACA SAVINGS BANK

Incorporated 1868

Tioga Street, cor. Seneca

Ithaca, N. V.

When wanting Quality, Service and Cleanliness

go to

WANZER & HOWELL, The Grocers

# Peaches and Poultry Return Big Profits

PLANT an orchard of ten or twenty acres with Harrisons' "Ray" Peach—the biggest money-maker in our test orchard of over a hundred varieties.

 Turn the hens loose among the trees during the day, but give them a place to roost at night, for a fruit tree makes a mighty poor henhouse.

## Harrisons' Ray Peach

is one of the finest sorts introduced since Elberta came into general cultivation. The trees are free, steady and profitable producers. Under normal care and cultivation RAY has borne crops that have made a handsome profit for the orchard owner.

HARRISONS' RAY PEACH has been thoroughly tested by growers in almost every part of the country, for its cultural range is unusually large. When we recommend HARRISONS' RAY PEACH we know just what we are talking about, for we have many bearing trees in our own orchards at Berlin, in other parts of Maryland, and in West Virginia.


### Get Our 1915 Catalogue

which shows HARRISONS' RAY PEACH in all its natural beauty of color and form. No other catalog that we have seen contains so much real "meat" for the man who owns an orchard or who intends to plant. Write for a copy—costs nothing but the price of the stamp on your letter.

### HARRISONS' NURSERIES

Cornell Ave.

BERLIN, MD.





# The Supremacy of the De Laval Cream Separator

The state of the s

#### Supre-or in Linear course

are it

#### Supreme or Directally

The state of the s

### .....

#### Surreme in Sanstaerio

#### Supreme in Value

oure di

# The De Laval Separator Company

192 BROWDWAY NEW YORK

29 E MADISON ST., CHICAGO

50,000 Branches and Local Agencies the World Over